

FOREST SERVICE Resource Bulletin SE:50

Raymond M. Sheffield

FOREST STATISTICS for SOUTH CAROLINA, 1978



FOREWORD

This report highlights the principal findings of the fifth inventory of South Carolina's forests. Fieldwork began in April 1977 and was completed in August 1978. Four previous statewide inventories, completed in 1936, 1947, 1958, and 1968, provide statistics for measuring changes and trends over the past 42 years. The primary emphasis in this report is on the changes and trends since 1968. Previously reported figures have been adjusted to provide the best estimate of change.

Renewable Resources Evaluation (formerly Forest Survey) is authorized by the Forest and Rangeland Renewable Resources Research Act of 1978. The inventory is a continuing, nation-wide undertaking by the regional experiment stations of the Forest Service, USDA. In Florida, Georgia, North Carolina, South Carolina, and Virginia, Renewable Resources Evaluation is administered through the Southeastern Forest Experiment Station, with headquarters in Asheville, North Carolina. The primary objective of the survey is to periodically inventory and evaluate the forest and related resources. These inventories provide information on the extent and condition of forest lands, volume of timber, and rates of timber growth and removals. These evaluations help provide a basis for the formulation of forest policies and programs and for the orderly development and use of the resources.

Reports for each of the three survey units in South Carolina, USDA Forest Service Resource Bulletins SE-45, SE-47, and SE-49, have been issued for the Piedmont, Northern Coastal Plain and Southern Coastal Plain, respectively. Two in-depth, analytical State reports, one dealing solely with timber and the second with all forest-related resources, should be available in early 1980.

The Southeastern Station gratefully acknowledges the cooperation of the South Carolina Commission of Forestry. Appreciation is also expressed for the excellent cooperation of other public agencies, forest industry, and private landowners in providing information and access to the sample locations.

JOE P. McCLURE

Project Leader

August 1979

Southeastern Forest Experiment Station
Asheville, North Carolina

FOREST STATISTICS for SOUTH CAROLINA, 1978

by
Raymond M. Sheffield, Resource Analyst
Asheville, North Carolina

CONTENTS

	Page
HIGHLIGHTS	1
HOW THE INVENTORY IS MADE	3
RELIABILITY OF THE DATA	4
DEFINITIONS OF TERMS	6
COUNTY TABLES	
1. Area, by land class	13
2. Area of commercial forest land, by ownership class	14
3. Area of commercial forest land, by forest-type group	15
4. Area of commercial forest land, by stand-size class	16
5. Area of commercial forest land, by site class	17
6. Area of commercial forest land, by stocking classes of	
growing-stock trees	18
forest land, by species group	19
commercial forest land, by species group	20
9. Annual removals of sawtimber and growing stock on	
commercial forest land, by species group	21
STATE TABLES	
10. Area of commercial forest land, by forest type and	
ownership class	22
11. Area of commercial forest land, by ownership and	0.0
stocking classes of growing-stock trees	22
and species group	23
13. Number of growing-stock trees on commercial forest land,	20
by species and diameter class	24
14. Volume of all live trees on commercial forest land, by	
species and diameter class	2 5
15. Volume of growing stock on commercial forest land, by	
species and diameter class	26
16. Volume of sawtimber on commercial forest land, by	
species and diameter class	27
 Net annual growth and removals of growing stock on commercial forest land, by species	90
18. Net annual growth and removals of sawtimber on commercial	28
forest land, by species	28
19. Mortality of growing stock and sawtimber on commercial	20
forest land, by species	29
20. Volume of all live trees and growing stock on commercial	
forest land, by ownership class and species group	30
21. Volume of sawtimber on commercial forest land, by	
ownership class and species group	30
22. Net annual growth and removals of growing stock on commercial	
forest land, by ownership class and species group	31
23. Net annual growth and removals of sawtimber on commercial	
forest land, by ownership class and species group	31
24. Average net volume per acre of sawtimber, growing stock, and	
other live timber on commercial forest land, by ownership	
class, major forest type, and species group	32
25. Land area, by class, major forest type, and survey	9.0
compression date	33
Volume of sawtimber, growing stock, and all live timber on commercial forest land, by species group, diameter class,	
and survey completion date	34
and survey completion date	υX

HIGHLIGHTS

Since the fourth inventory of South Carolina's forest resources was completed in 1968—

area of commercial forest land has increased by 76,000 acres, or less than 1 percent. Increases occurred in the Northern Coastal Plain and Piedmont Survey Units. Statewide, over 371,000 acres were added to the commercial forest-land base, while 295,000 acres were diverted to other land uses. Almost 42 percent of the diversions was to agricultural uses, over 40 percent to urban and other, and the remaining 18 percent to water and noncommercial forest. Commercial forests now occupy 12.5 million acres, or 65 percent of South Carolina's total land area.

miscellaneous private, corporate owners have increased their holdings by nearly 945,000 acres. This increase resulted from a shift of acres from farmers and miscellaneous private individuals, who collectively own 63 percent of the commercial forests. Forest industries have increased their fee-simple holdings by 195,000 acres, or by 10 percent. Nearly 9 percent of the commercial forest area is publicly owned, about the same as in 1968.

one half of the commercial forest acreage has been treated or significantly disturbed. Over 2.0 million acres were harvested, while 1.9 million acres experienced intermediate cutting. Altogether, about 568,000 acres of harvested, site prepared, and idle land were artificially regenerated. About 70 percent of this artificial regeneration was on lands owned or leased by forest industry. Disease, fire, insects, weather, and other natural destructive agents have caused significant damage to forests on more than 941,000 acres.

acreage occupied by pine forest types has increased by 81,000 acres, or by 1.5 percent. Almost all the increase occurred in the two Coastal Plain Survey Units. Loblolly pine types now occupy 3.4 million acres, up by 17 percent. The other major pine types and the oak-pine type declined in acreage. Relatively undisturbed stands or stands experiencing natural disturbances accounted for 42 percent of the increase in pine types, while forestry practices accounted for nearly 40 percent. Acreage added to commercial forest through natural reversions on nonforest lands contributed the remaining 18 percent. In contrast to the net increase in pine types, over 42 percent of all pine types harvested since the fourth survey are now classified as oak-pine or hardwood types.

average basal area of all live trees 5.0 inches d.b.h. and larger has increased from 57 to 71 square feet per acre of commercial forest land. Rough and rotten trees make up 15 percent of the basal-area stocking. Stands classified as fully stocked with growing-stock trees comprise 35 percent of all commercial forests, up from 17 percent in 1968. Nonstocked and poorly stocked forest acres total 2.4 million acres, down from 3.5 million acres in 1968. The number of softwood saplings has declined by 20 percent, while the number of hardwood saplings has increased by 4 percent.

volume of softwood growing stock has increased from 6.7 to 8.9 billion cubic feet, or by 33 percent. Loblolly pine accounted for nearly 73 percent of the increase and now makes up 60 percent of the softwood inventory. Volume of shortleaf pine, the second-leading softwood species, increased by 12 percent, while the volume of longleaf pine, the third-leading species, was essentially unchanged. Slash pine ranks fourth in abundance and increased in volume by 148 percent. The softwood-volume increase occurred across all diameter classes, but the increase in

the 6-inch class was noticeably less than in larger diameters. The current inventory of softwood growing stock includes 31.3 billion board feet of sawtimber, an increase of 37 percent.

volume of hardwood growing stock has increased from 6.6 to 8.3 billion cubic feet, or by 25 percent. Sweetgum, tupelo, blackgum, and a variety of red oak species make up 59 percent of the hardwood inventory and accounted for 57 percent of the increase. Yellow-poplar made the largest percentage gain, increasing by 51 percent. Substantial gains occurred across the entire range of diameter classes. The current inventory of hardwood growing stock includes 24.2 billion board feet of sawtimber, up by 28 percent.

In 1977—

net annual growth of growing stock averaged 77 cubic feet per acre of commercial forest land and totaled 963 million cubic feet. This growth rate—a record high for any State in the Southeast—is attributed to the rapid development of young pine stands established on retired cropland between 1940 and the early sixties. Softwood net growth exceeded removals by 71 percent, while hardwood net growth exceeded removals by 155 percent. By ownership, 10 percent of the net growth occurred on publicly owned lands, 18 percent on forest industry lands, 34 percent on farmer-owned woodlands, and the remaining 38 percent on miscellaneous private ownerships. Total net annual growth of growing stock included 3.5 billion board feet of sawtimber.

annual removals of growing stock totaled 496 million cubic feet and included 1.8 billion board feet of sawtimber. Softwood growing-stock removals increased by 25 percent since the fourth survey, but hardwood removals declined by 12 percent. By ownership, 10 percent of the removals was from public forests, 25 percent from forest industry lands, 31 percent from farmer-owned lands, and 34 percent from miscellaneous private forests. Softwoods provide a disproportionate share of the growing-stock removals. Softwoods make up 52 percent of the inventory and 64 percent of the net growth, but provide 73 percent of the removals.

mortality of growing stock totaled 112 million cubic feet and included 313 million board feet of sawtimber. Softwoods accounted for 63 percent of the mortality. The leading identifiable causes of death were insects, suppression, disease, and weather. Total mortality of growing stock reduced gross growth by 10 percent.

HOW THE INVENTORY IS MADE

The method of the inventory is a sampling procedure designed to provide reliable statistics primarily at the State and Survey Unit levels. Individual county statistics are presented so that any combination of counties may be added together until a total is large enough to meet the desired degree of reliability. Procedures were as follows:

- 1. Initial estimates of forest and nonforest areas were based on the classification of 67,524 sample clusters systematically spaced on the latest aerial photographs available. A subsample of 6,466 of the 16-point clusters was ground checked, and a linear regression was fitted to the data to develop the relationship between the photo and ground classification of the subsample. This procedure provides a means for adjusting the initial estimates of area for change in land use since date of photography and for photo misclassifications.
- 2. Estimates of timber volume and forest classifications were based on measurements recorded at 4,038 ground sample locations systematically distributed within the forest land. A 10-point cluster of plots, measured with a basal-area factor of 37.5 square feet per acre, was established on an acre at each of these sample locations. Trees less than 5 inches d.b.h. were tallied on a portion of the fixed-radius plots around the point centers.
- 3. Equations prepared from detailed measurements collected on standing trees in South Carolina, and similar measurements taken throughout the Southeast, were used to compute the volume of individual tally trees. A mirror caliper and sectional aluminum poles were used to obtain the additional measurements on these standing trees required to construct volume equations.
- 4. Felled trees were measured at 93 active cutting operations. These data will be pooled with similar measurements taken in the State to supplement the standing-tree-volume study and to generate utilization factors for product and species groups that will be analyzed at the State level.
- 5. Estimates of growth, removals, and mortality were determined from the remeasurement of 4,231 permanent sample plots which were established in the fourth survey.
- 6. Ownership information was collected from correspondence, public records, and local contacts. In those counties where the sample missed a particular ownership class, temporary sample plots were added on these lands.
- 7. All field data were sent to Asheville for editing and were punched into cards and stored for machine computing, sorting, and tabulation. Final estimates were based on statistical summaries of the data.

RELIABILITY OF THE DATA

Statistical analysis of these data indicates the following sampling errors in terms of one standard error (two times out of three):

	Percent
Per million acres of commercial forest land	0.95
Per billion cubic feet of growing stock	5.50
Per billion cubic feet of net annual growth	1.32
Per billion cubic feet of annual removals	2.40

COUNTY	LOGINATIONE	CUBIC-FOOT	VOLUME OF	GROWING STOCK
	FOREST AREA	INVENTORY	GROWTH	REMOVALS
	-	SAMPLII	NG ERROR2 -	
ABBENDAN DELANDERSTENDON OR ALLENDON TENDON NEW BARNUFOLL TO CHARLESTENDON ON THE COLLUD DOGERFON WE ALLENDON THE COLLUD DOGERFON OR AND BEALORED THE GERENNON TO CHARLES TO CHA	2.86 9944 1.437 1.31.337 1.31.	118.29773841775717163111841824014755551645830084845 119.1153.62.599.611.787776286881.82.2971645830084845 119.1153.62.990.611.787776286881.82.29716667.972.99859	88.49168091.735558899.31484 99.441755558899.134.34941522001773.7859589931484 15.463.49968.989677.086901.73.99.1787.0458899.3148.79.869.1889.72.5571.378 18.798.89969.19969.19969.19969.19969.199799.19979.19979.19979.19979.19979.19979.19979.199799.19979.19979.1	28.4682659019379568639008466648177998556 28.3284.4901937979969863390088466648177998556 33.22222222222222222222222222222222222
UNIT TOTAL	U - Z /	1 35	1.32	3.36

^{&#}x27;SAMPLING ERROR OF BREAKDOWNS OF COUNTY AND UNIT TOTALS MAY BE COMPUTED WITH THE FOLLOWING FORMULA:

WHERE: \mathcal{E} = SAMPLING ERROR OF THE VOLUME OR AREA TOTAL IN QUESTION. SE = SPECIFIED SAMPLING ERROR IN TABLE.

 $[\]mathcal{E} = \frac{(SE) \sqrt{(SPECIFIED VOLUME OR AREA)}}{\sqrt{(VOLUME OR AREA TOTAL IN QUESTION)}}$

² BY RANDOM-SAMPLING FORMULA (IN PERCENT).

DEFINITIONS OF TERMS

Acceptable trees. -- Growing-stock trees of commercial species that meet specified standards of size and quality, but not qualifying as desirable trees.

Basal area. -- The area in square feet of the cross section at breast height of a single tree or of all the trees in a stand, usually expressed as square feet of basal area per acre.

Commercial forest land. -- Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization.

Commercial species. -- Tree species presently or prospectively suitable for industrial wood products.

Cropland. -- Land under cultivation within the past 24 months, including orchards and land in soil-improving crops, but excluding land cultivated in developing improved pasture. Also includes idle farmland.

<u>Desirable trees.</u>--Growing-stock trees of commercial species having no serious defects in quality limiting present or prospective use for timber products, of relatively high vigor, and containing no pathogens that may result in death or serious deterioration before rotation age.

<u>Diameter class.</u>--A classification of trees based on diameter outside bark, measured at breast height ($4\frac{1}{2}$ feet above the ground). D.b.h. is the common abbreviation for "diameter at breast height." Two-inch-diameter classes are commonly used in Forest Survey, with the even inch the approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h., inclusive.

Farm. -- Either a place operated as a unit of 10 or more acres from which the sale of agricultural products totaled \$50 or more annually, or a place operated as a unit of less than 10 acres from which the sale of agricultural products for the year amounted to at least \$250.

Farm operator .-- A person who operates a farm, either doing the work himself or directly supervising the work.

Farmer-owned lands .-- Lands owned by farm operators.

Forest industry lands. -- Lands owned by companies or individuals operating wood-using plants.

Forest land. -- Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use.

Forest type. -- A classification of forest land based upon the species forming a plurality of live-tree stocking.

Longleaf-slash pine. -- Forests in which longleaf or slash pine, singly or in combination, comprises a plurality of the stocking. (Common associates include oak, hickory, and gum.)

Loblolly-shortleaf pine. -- Forests in which loblolly pine, shortleaf pine, or other southern yellow pines, except longleaf or slash pine, singly or in combination, comprise a plurality of the stocking. (Common associates include oak, hickory, and gum.)

Oak-pine.--Forests in which hardwoods (usually upland oaks) comprise a plurality of the stocking but in which pines comprise 25 to 50 percent of the stocking. (Common associates include gum, hickory, and yellow-poplar.)

Oak-hickory. -- Forests in which upland oaks or hickory, singly or in combination, comprise a plurality of the stocking, except where pines comprise 25 to 50 percent, in which case the stand would be classified oak-pine. (Common associates include yellow-poplar, elm, maple, and black walnut.)

Oak-gum-cypress.--Bottomland forests in which tupelo, blackgum, sweet-gum, oaks, or southern cypress, singly or in combination, comprises a plurality of the stocking, except where pines comprise 25 to 50 percent, in which case the stand would be classified oak-pine. (Common associates include cottonwood, willow, ash, elm, hackberry, and maple.)

Elm-ash-cottonwood. -- Forests in which elm, ash, or cottonwood, singly or in combination, comprises a plurality of the stocking. (Common associates include willow, sycamore, beech, and maple.)

Gross growth. -- Annual increase in net volume of trees in the absence of cutting and mortality.

Growing-stock trees. -- Live trees of commercial species qualifying as desirable or acceptable trees.

Growing-stock volume.--Net volume in cubic feet of growing-stock trees 5.0 inches d.b.h. and over from a 1-foot stump to a minimum 4.0-inch top diameter outside bark of the central stem, or to the point where the central stem breaks into limbs. (Net volume in primary forks is included.)

<u>Hardwoods</u>.--Dicotyledonous trees, usually broad-leaved and deciduous.

Soft hardwoods.--Soft-textured hardwoods such as boxelder, red and silver maple, buckeye, hackberry, loblolly-bay, silverbell (in mountains), butternut, sweetgum, yellow-poplar, cucumbertree, magnolia, sweetbay, water tupelo, blackgum, sycamore, cottonwood, black cherry, willow, basswood, and elm.

Hard hardwoods.--Hard-textured hardwoods such as Florida and sugar maple, birch, hickory, dogwood, persimmon (forest grown), beech, ash, honeylocust, holly, black walnut, mulberry, all commercial oaks, and black locust.

Idle farmland. -- Includes former croplands, orchards, improved pastures and farm sites not tended within the past 2 years, and presently less than 16.7 percent stocked with trees.

Improved pasture. -- Land currently improved for grazing by cultivation, seeding, irrigation, or clearing of trees or brush.

Industrial wood .-- All roundwood products except fuelwood.

Land area. -- The area of dry land and land temporarily or partly covered by water such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide); streams, sloughs, estuaries, and canals less than 1/8 of a statute mile in width; and lakes, reservoirs, and ponds less than 40 acres in area.

Logging residues .-- The unused portions of trees cut or killed by logging.

Miscellaneous Federal lands. -- Federal lands other than National Forests, lands administered by the Bureau of Land Management, and Indian lands.

Miscellaneous private lands - corporate. -- Lands owned by private corporations other than forest industry.

Miscellaneous private lands - individual. -- Privately owned lands other than forest-industry, farmer-owned, or corporate lands.

Mortality. -- Number or sound-wood volume of live trees dying from natural causes during a specified period.

National Forest land. -- Federal lands which have been legally designated as National Forests or purchase units, and other lands under the administration of the Forest Service, including experimental areas and Bankhead-Jones Title III lands.

Net annual growth .-- The increase in volume for a specific year.

Net volume. -- Gross volume less deductions for rot, sweep, or other defect affecting use for timber products.

Noncommercial forest land. -- (a) Unproductive forest land incapable of yielding crops of industrial wood because of adverse site conditions, and (b) productive-reserved forest land.

Noncommercial species. -- Tree species of typically small size, poor form, or inferior quality which normally do not develop into trees suitable for industrial wood products.

Nonforest land. -- Land that has never supported forests and lands formerly forested where timber management is precluded by development for other uses.

Nonstocked land. -- Commercial forest land less than 16.7 percent stocked with growing-stock trees.

Other Federal lands. -- Federal lands other than National Forests, including lands administered by the Bureau of Land Management, Bureau of Indian Affairs, and other Federal agencies.

Other public lands. -- Publicly owned lands other than National Forests.

Overstocked areas. -- Areas where growth of trees is significantly reduced by excessive numbers of trees.

<u>Poletimber trees</u>. --Growing-stock trees of commercial species at least 5.0 inches in d.b.h. but smaller than sawtimber size.

Productive-reserved forest land. -- Forest land sufficiently productive to qualify as commercial forest land, but withdrawn from timber utilization through statute or administrative designation.

Rangeland. -- Land on which the natural plant cover is composed principally of native grasses, forbs, or shrubs valuable for forage.

Rotten trees.--Live trees of commercial species that do not contain at least one 12-foot saw log, or two noncontiguous saw logs, each 8 feet or longer, now or prospectively, primarily because of rot or missing sections, and with less than one-third of the gross tree volume in sound material.

Rough trees.--(a) Live trees of commercial species that do not contain at least one 12-foot saw log, or two noncontiguous saw logs, each 8 feet or longer, now or prospectively, primarily because of roughness, poor form, splits, and cracks, and with less than one-third of the gross tree volume in sound material; and (b) all live trees of noncommercial species.

Salvable dead trees. -- Standing or down dead trees that are considered merchantable by Forest Survey standards.

Saplings .-- Live trees 1.0 to 5.0 inches in diameter at breast height.

Saw log. -- A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight, and with a minimum diameter inside bark for softwoods of 6 inches (8 inches for hardwoods).

Saw-log portion. -- That part of the bole of sawtimber trees between the stump and the saw-log top.

Saw-log top.--The point on the bole of sawtimber trees above which a saw log cannot be produced. The minimum saw-log top is 7.0 inches d.o.b. for softwoods and 9.0 inches d.o.b. for hardwoods.

Sawtimber trees.--Live trees of commercial species containing at least a 12-foot saw log, or two noncontiguous saw logs, each 8 feet or longer, and with at least one-third of the gross board-foot volume between the 1-foot stump and minimum saw-log top being sound. Softwoods must be at least 9.0 inches and hardwoods at least 11.0 inches in diameter at breast height.

Sawtimber volume. -- Net volume of the saw-log portion of live sawtimber in board-foot International 1/4-inch rule.

Seedlings. -- Live trees less than 1.0 inch in diameter at breast height that are expected to survive and develop.

Site class. -- A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands.

Class 1.--Sites capable of producing 165 or more cubic feet per acre annually.

Class 2.--Sites capable of producing 120 to 165 cubic feet per acre annually.

Class 3. -- Sites capable of producing 85 to 120 cubic feet per acre annually.

Class 4.--Sites capable of producing 50 to 85 cubic feet per acre annually.

Class 5.--Sites incapable of producing 50 cubic feet per acre annually, but excluding unproductive sites.

Softwoods. -- Coniferous trees, usually evergreen, having needles or scalelike leaves.

<u>Pines.--Yellow</u> pine species which include loblolly, longleaf, slash, shortleaf, pitch, Virginia, Table-Mountain, sand, and spruce pine.

Other softwoods. -- White pine, hemlock, cypress, eastern redcedar, white-cedar, spruce, and fir.

Stand-size class. -- A classification of forest land based on the size class of growing-stock trees on the area.

Sawtimber stands. -- Stands at least 16.7 percent stocked with growingstock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

<u>Poletimber stands.--Stands at least 16.7 percent stocked with growing-stock trees of which half or more of this stocking is in poletimber and sawtimber trees, and with poletimber stocking exceeding that of sawtimber.</u>

<u>Sapling-seedling stands.--Stands at least 16.7 percent stocked with growing-stock trees of which more than half of the stocking is saplings and seedlings.</u>

State, county, and municipal lands. -- Lands owned by States, counties, and local public agencies or municipalities, or lands leased to these governmental units for 50 years or more.

Stocking. -- The degree of occupancy of land by trees, measured by basal area or the number of trees in a stand and spacing in the stand, compared to a minimum standard, depending on tree size, to fully utilize the growth potential of the land. (See page 12.)

<u>Timber removals.</u>—The net volume of growing-stock trees removed from the inventory by harvesting; cultural operations, such as stand improvement; land clearing, or changes in land use.

<u>Unproductive forest land.--Forest land incapable of producing 20 cubic</u> feet per acre of industrial wood under natural conditions, because of adverse site conditions.

Upper-stem portion. -- That part of the main stem or fork of sawtimber trees above the saw-log top to a minimum top diameter of 4.0 inches outside bark or to the point where the main stem or fork breaks into limbs.

Urban and other areas. -- Areas within the legal boundaries of cities and towns; suburban areas developed for residential, industrial, or recreational purposes; school yards; cemeteries; roads; railroads; airports; beaches; powerlines and other rights-of-way; or other nonforest land not included in any other specified land use class.

STOCKING STANDARD

D.B.H. CLASS	MINIMUM NUMBER OF TREES PER ACRE FOR FULL STOCKING	MINIMUM BASAL AREA PER ACRE FOR FULL STOCKING	PERCENT STOCKING ASSIGNED EACH TALLY TREE'
SEEDLINGS 2 4 6	600 560 460 340 240	 67 84	5.0 5.4 6.5 5.8 4.8
10 12 14 16	155 115 90 72	85 90 96 101 106	4.3 4.0 3.8 3.7
20	60 51	111	3.5

'TREES LESS THAN 5.0 INCHES D.B.H. WERE TALLIED ON A 10-POINT CLUSTER OF CIRCULAR, 1/300-ACRE PLOTS AT EACH SAMPLE LOCATION.
TREES 5.0 INCHES D.B.H. AND LARGER WERE TALLIED ON A 10-POINT CLUSTER OF VARIABLE PLOTS USING A BASAL AREA FACTOR OF 37.5 AT EACH SAMPLE LOCATION.

OVERSTOCKED--OVER 130 PERCENT FULLY STOCKED--100-130 PERCENT MEDIUM STOCKED--60-99 PERCENT POORLY STOCKED--16.7-59 PERCENT NONSTOCKED--LESS THAN 16.7 PERCENT

CUBIC FEET OF WOOD PER AVERAGE CORD (EXCLUDING BARK)

D.B.H. CLASS	ALL SPECIES	PINE	OTHER SOFTWOOD	HARDWOOD
6 8 10 12 14 16 18 20 22 24+	60.6 68.4 76.7 79.1 80.9 82.1 83.8 84.8	61.0 68.1 73.1 76.7 79.4 81.6 83.3 84.7 86.0 87.8	68.2 76.3 81.3 85.3 88.1 90.6 92.4 93.8 94.8	60.0 68.4 73.4 76.4 78.4 79.8 80.8 81.5 82.1 83.1
AVERAGE	74.5	73.9	85.9	74.3

COUNTY TABLES

THE COUNTY TABLES ARE INTENDED FOR USE IN COMPILING FOREST RESOURCE ESTIMATES FOR GROUPS OF COUNTIES. BECAUSE THE SAMPLING PROCEDURE USED BY THE FOREST SURVEY WAS INTENDED PRIMARILY TO FURNISH INVENTORY DATA FOR THE SURVEY UNIT AS A WHOLE, INDIVIDUAL COUNTY ESTIMATES HAVE LIMITED AND VARIABLE ACCURACY. AS COUNTY TOTALS ARE BROKEN DOWN BY VARIOUS SUBDIVISIONS, THE POSSIBILITY OF ERROR INCREASES AND IS GREATEST FOR THE SMALLEST ITEMS. THE ORDER OF THIS INCREASE CAN BE COMPUTED WITH THE FORMULA ON PAGE 5.

TABLE 1. -- AREA, BY LAND CLASS AND COUNTY, 1978

COUNTY ABBEVILLE AIKEN ALLENDALE ANDERSON BAMBERG BARNWELL	325,249 695,680 267,520 477,332 252,800 353,920	TOTAL 220,533 489,774 158,504 208,201	COMMERCIAL FOREST 219,883 488,900 158,504	UNPRODUCTIVE FOREST 4CRES	PRODUCTIVE- RESERVED 	NONFOREST LAND?
AIKEN ALLENDALE ANDERSON BAMBERG	4//,332 252,800	489,774 158,504	219,883 488,900	4CRES	650	104 210
AIKEN ALLENDALE ANDERSON BAMBERG	4//,332 252,800	489,774 158,504	219,883 488,900		650	104 210
BEAUFORT BERKELEY CALHOUN CHARLESTON CHEROKEE CHESTERFIELD CLARENDON COLLETON DARLINGTON DILLON DORCHESTER ELD FLORENCE GERENWOOD HAMPTON HORRY JASPER. KERSHAW LANCASTER LAURENS LEE INGTON MARIBORO NEWBERRY OCONEE ORANGEBURG PICKENS RICHLAND SALUDA SPARTANBURG SUMTER UNION WILLIAMSBURG YORK	3500 3500 3500 3500 3500 3500 3710	148692477777394475044169265317297519571339947777739751704975177297517049751716687447777739751772975177297517766874475018772973739867878796691828832033177288789651273328678965077725149717328678965077755149717328699765077755149717328699765077755149717328699765077755149717328699765077755149717328699765077755149717328699767676767676767676767676767676767676	158,504 208,201 148,440 148,228 140,5307 130,243 157,406 130,243 154,8619 337,976 169,683 144,331 479,683 144,331 479,683 144,331 271,6683 144,331 271,683 144,331 271,683 144,331 271,683 144,331 271,683 144,331 271,683 144,331 278,683 144,331 278,683 147,778 189,946 189,946 189,946 181,994	1,697	874 874 355 129 1,6306 1,29-7 9505 1,201 453 648 310 2,373 453 614 5,000 21,373 453 516 13,5505 325 1,381 2,581 4,201 4,500 1,381 1,3	104,79,1066 1099,1016 1005,99,71 1016 10179,1016 10279,
TOTAL I	9,349,707 1	12,579,198	12,502,906	3,893	72,399	6,770,509

^{&#}x27;FROM U. S. BUREAU OF THE CENSUS, LAND AND WATER AREA OF THE UNITED STATES, 1970.
'INCLUDES 230,308 ACRES OF WATER ACCORDING TO SURVEY STANDARDS OF AREA CLASSIFICATION.
BUT DEFINED BY THE BUREAU OF THE CENSUS AS LAND.

TABLE 2. -- AREA OF COMMERCIAL FOREST LAND, BY OWNERSHIP CLASS AND COUNTY, 1978

				OWNERSHIP CLASS							
COUNTY	ALL	NATIONAL	MISCELLANEOUS		22.11.71/ 11/0	FOREST	FARMER		EOUS PRIVA		
	OWNERSHIPS	FOREST	MISCELLANEOUS FEDERAL 	STATE	COUNTY AND MUNICIPAL	INDUSTRY	68,663 157,756 668,663 157,756 668,677 101,3195 48,7066 101,3195 48,767 105,650 141,020 102,390 217,2228 117,478 62,650 141,020 102,390 217,272 101,377 101,37	CORPORATE	INDIVIDUA		
	<u> </u>		FEDERAL 1,056 61,776 3,908 6,998 109,076 4,376 9,550 1,390 41,759 2,320 788 788 5,378 1,175 818 44,470 622 321,860		- ACRES						
REVILLE	219.883	18.437	1.056		272	56,392	68,663	22,556	52,507		
KEN	488,900	6,021	61,776	1,413	843	46,825	157,756	53,646	160,620		
LENDALE	158,504		3,908	1	68	48,112	66,808	20,556	19,051 50,660		
DERSON	208,201		6,998	6,063	343	7,260	101,319	35,550 6 084	42,592		
MBERG	148,440			10	130	20,529	79,U95 48 706	11 461	35,415		
RNWELL	226,228		109,076	1 502	244 507	20,610	14 835	26.702	83,071		
AUFORI	14U,531	183 687	4,376	1,302	55 I	154.798	97.374	37,696	81,673		
KVEFEL	130 243	103,007	3,030	1.595	34	5.009	80,236	3,251	40,118		
LHOUN ARLESTON	304.245	50.310	1.390	4.518	692	66,519	48,865	39,097	92,854		
FROKEF	154,802		- ,	,	88	11,668	91,767	10,652	40,627		
ESTER	290,619	11,082	==	340	617	47,818	105,650	43,746	81,366 63,870		
ESTERFIELD	337,976		41,759	48,312	128	22,194	141,020	20,093	43,117		
ARENDON	217,210		2,320	4,624	50 50	43,133	217 192	24,133	117,651		
LLEION	4/0,00/			1,447	226	12.710	102.272	15,754	37,051		
KLINGIUN	144 331			1,00+	138	24,231	84,228	15,313	20,421		
LLUN RCHESTER	271.334	==	- -	1,714	50	82,160	117,478	27,974	41,958		
GEELELD	234,637	29,462		,	235	50,711	62,695	5,331	86,203		
ÍRFÍELD	386,015	12,748		3,000	-60	83,194	101,377	14,08/	171,549		
ORENCE	287,280			893	317	49,381	198,512	25 748	30,542 58,861		
ORGETOWN	374,248			355	512 512	221,997	30,70Z	37 714	94,604		
EENVILLE	2/8,448	7 906		710	2,338 1 379	30,033	71.293	17.961	75,484		
FENWOOD	. 205,672	7,090		5 305	148	58.755	103.197	18,766	59,418		
MPIUN	489 56A		788	523	209	139,297	150,157	92,026	106,560		
CDEB -	299.706		_ =	5	134	100,059	60,395	101,478	37,635		
RSHAW	394,680		==	571	1,958	69,936	107,121	44,432	170,662		
NCASTER	235,604			194	318	28,905	64,399	45,191	96,597 65,575		
URENS	305,701	19,663		944	1,123	56,331	144,252	1/,013	25,155		
E	118,996	- -		1,215	20 285	2 511	122,073	41 986	100,120		
XINGTON	267,942 206 778	50 782	26 400	922	597	41.883	35.314	3.799	47,081		
CORMICK	215 743	30,702	20, 100	15	213	94,083	54,520	2,478	64,434		
RI BORO	172,181			70	57	45,110	85,098	26,830	15,016		
WBERRY	315,829	55,231			599	54,836	102,520	9,445	93,198 72,465		
ONEE	280,294	74,125	5,378	2,993	2,127	919 919	53,4U/	58,88U	72,465 127,067		
ANGEBURG	369,300	~ -	1,1/5	0,249 0 RNS	82 232	30,539 1 638	43 710	61 635	91,793		
CKENS	ZU9,454		010 44 47Ĥ	3,003	235	29.079	73.618	39.110	136,724		
CHLAND	187 758	2 531	, -, -, -, -, -, -, -, -, -, -, -, -,	5,524	196	29,160	82,442	23,049	50,380		
L U U A A R T A N R II R C	271.227	2,001		6,13,	2,065	19,543	119,041	14,555	109,892 54,906		
MITER	231,926		622	32,124	570	23,901	104,828	14,975	54,906		
IION	272,352	56,749		à0	.83	48,227	59,631	9,995	97,577		
LLIAMSBURG	388,860	=-		16	152	88,U94	105,109	43,284 36 274	72,145 84,047		
)RK	264,752	- -		4,002	/9U	20,040	110,911	JO, 274	04,04/		
TOTAL	10 500 005	E70 704	321,860	167 000	23 1/15	2 242 580	4 493 503	1 275 678	3 400 318		

^{&#}x27;NOT INCLUDING 82,516 ACRES OF FARMER-OWNED AND MISCELLANEOUS PRIVATE LANDS LEASED TO FOREST INDUSTRY.

TARLE 3 -- AREA DE COMMERCIAL FOREST LAND. BY FOREST-TYPE GROUP AND COUNTY. 1978

		TABLE 3AREA	OF COMMER	CIAL FORES				1978		
COUNTY	ALL TYPE			-,		REST-TYPE (I am am	T 5	MAGUE DECOM
COUNTY	GROUPS	WHITE PINE-	SPRUCE - FIR	LONGLEAF- SLASH	- LOBLOLLY- SHORTLEAF	OAK- PINE	OAK- HICKORY	OAK-GUM- CYPRESS	ELM-ASH- COTTONWOOD	MAPLE-BEECH- BIRCH
		<u> </u>			AC	CRES				
ABBEVILLE	219,883 488,900 158,504 208,201 148,440				83 725	59.758	56,095 107,616 26,562 81,297 29,432		10,305 5,952	
AIKEN	488,900			142,556 22,356	83,725 117,211	59,758 64,678 7,710	107,616	50,887	5,952	- -
ALLENDALE	158,504			22.356	63,667 68,758 30,508	7,710	26,562	18,490	19.719	
ANDERSON	208,201				68.758	42,948 18,254	81,297		15,198	
BAMBERG	148,440		- 10	21,369	30.508	18.254	29,432	48,877		
BARNWELL	226,228 140,531 577,407			53,247 24,641 38,886	BII /BB	30,665	30.120	45.430		
BEAUFORT	140,531	·		24,641	26,103 267,607	24,303	28,901 60,463	36,583 129,760		
BERKELEY	577,407			38,886	267,607	69,621	60,463	129,760	11,070	
ALHOUN	130,243 304,245			21,402	40,152	12,344	27,77 4	25,485 37,953	3,086	
CHARLESTON	304,245			26,223	122,861	45,510	71,698	37,953		
HEROKEE	154,802 290,619 337,976	=			40,152 122,861 68,310	30,665 24,303 69,621 12,344 45,510 23,762 34,767	27,774 71,698 62,730			
CHESTER	290,619			==	191.915	34,720	55,235	20 56:	8,749	
CHESTERFIELD	337,976			85,135 7,779	68,331 56,993	53,867 17,172	55,235 88,721 54,173	32,521	9,401	
CLARENDON	217.210			_7,779	56,993	$\frac{17}{12}$	54,1/3	32,521 81,093 157,316		
COLLETON	476,667 169,683 144,331	-· -		59,998	155,837	46,756 31,821 18,283	56,760	157,316		
ARLINGTON	169,683			18,389	26,161	31,821	63,508 41,396	29,804		
ILLON	144,331		~ ~		30,908	18,283	41,395	53,744 98,370		
ORCHESTER	271,334 234,637			28,006	49,410	53,326 27,429	42,222	98,370		
DGEFIELD	234,637		-		120,854	27,429 46,896	42,222 83,899 50,951		2,455 8,110	
ALRETELD	386,015 287,280			3 000	280,058		20,931	05 774	2,245	
LORENCE	207,200			7,635 21,661	109,894 132,490 74,509 118,256 42,602	46,403 61,861	35,329 38,624 177,661	85,774 119,612	2. , 2 4 0	
EORGETOWN	374,248 278,448 205,672 245,589 489,560			21,001	74 500	01,001	177 661	119,012		
REENVILLE	2/0,440				110 255	41 036	32,899	 	12,581	
REENWOOD	205,072			54 200	110,200	26,278 41,936 18,573	24,636	105 569	. 12,501	
IAMPTON	490,505 480 560			54,209 33,285 64,417	184,743	53,706	49,464	105,569 165,850	2,422	
IORRY	200 706			53,203	80,407	53,796 20,913 53,384	28 136	99,123	6,710	ne 11
JASPER CERCULANI	299,706 394,680			70,318	141,019	53 384	28,136 81,770	28,965	19,224	
(ERSHAW .ANCASTER	235 604	·		70,310	88 245	41 398	105,961	20,000	13,221	
AURENS	235,604 305,701				88,245 155,697	40,003	100 418		9,493	
EE	118 996				40,064	41,398 40,093 16,772	22,670			
EXINGTON	267 942			8,385 45,532	70,330	45.215	87,202	31,105 13,2 0 3	6,460	
ICCORMICK	206.778				133 851	24.393	42,892	,	5,642	
ARION	118,996 267,942 206,778 215,743 172,181 315,829			4.956	47,424 31,952 213,696 100,365 65,265 46,321	24,393 37,430	40.169	75,659	10,105	
MARLBORO	172,181			4,956 14,409	31.952	8,585 32,619	62,489 48,679 109,704	44,992	9.754	
IE W B E R R Y	315,829			-	213,696	32,619	48,679		20,835	
CONEE	280.294	4,632			100,365	65,593	109,704		·	
RANGEBURG	280,294 369,300	- -	- -	18,698	65,265	65,593 57,990	83,717	143,630		
ICKENS	209 464	8,742			46,321	34 969	119,432			
ICHLAND	327,160			44,019 4,580	94,888	49,916	59.455	44,033	34,849	
SALUDA	327,160 187,758 271,227 231,926 272,352				94,888 113,490 127,896 57,700	49,916 22,901 54,271	46,787			
SPARTANBURG	271,227				127,896	54,271	79.903		9,157	
SUMTER	231,926		<u></u>	17,284	57,700	24.918	56,795	67,319	7,910	
INTON	272,352				122,984	27,209	104,965		17,194	
VILLIAMSBURG	388,860 264,752			23,874	121,105	54,878	69,396	119,607		
rork					128,969	26,427	100,548		8,808	
TOTAL	12,502,906	13,374		983,249	4,574,297	1,718,544	2,945,254	1,990,754	277,434	

TABLE 4. -- AREA OF COMMERCIAL FOREST LAND, BY STAND-SIZE CLASS
AND COUNTY, 1978

		SI	STAND-SIZE CLASS					
COUNTY	ALL STANDS	SAWTIMBER	POLETIMBER	SAPLING- SEEDLING	NONSTOCKED AREAS			
ABBERHOUSSE TED NO NO COHESTENDON NO COHESTENDO NO COHESTEN	- 883 488,9504 1588,42231 1248 1573,4424 2040,7,2280 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 1470,9266 12346 12346 1470,9266 1441,60 12346 12346 12346 12346 12346 12346 12346 12346 12346 12346 12366 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 12369 13369 1	129,871 160,5830 1767,9809 1256,8909 1266,825 1266,825 1266,825 1266,825 1266,825 1266,825 1266,836 127,3386 127,347 147,91,137 147,91,137 15768,977,191,977	144,374	811,527 6927 6927 6927 6927 1514,9229 1630,54122 1630,832,36027 16	8,791 3,086 4,370 23,274 5,389 13,410 3,4692 4,055 5,481 7,737 10,422 10,005 6,497 42,269 5,022 23,427 4,351 7,217 4,578 3,956 9,444			
TOTAL	12,502,906	5,454,246	3,552,830	3,223,313	272,517			

TABLE 5. -- AREA OF COMMERCIAL FOREST LAND, BY SITE CLASS AND COUNTY, 1978

COUNTY	ALL			SITE CLASS	i	
COONTI	CLASSES	1	2	3	4	5
ABALENDON ON ALLE ANDERSON ON ALLE AND ALL	218355 - 883 4888,9004 21888,201 1288,4408 1508,4408 1508,4408 1508,4407 13054,617 130	2,482 2,217 	15,737 7,638 5,480 4,194 3,1632 14,716 4,868 6,555 5,021 9,266 9,266 2,301 9,156 6,451 16,748	248,7439 23,157 40,528 33,538 54,446 60,939 184,566 40,9159 17,480 23,5166 32,3663 136,034 58,301 112,500 44,278 44,994 44,994 44,994 44,994 44,13 77,154 43,516 43,516 43,512 120,728	4 - 64481 16244,9881 16244,604359 2956,53359 2956,5776566 1250,4421 2833,0649 1250,4431 1250,4431 1250,4431 1250,4431 1250,33669 1267,6925 1267,6925 1267,09148 1267,9338 1268,3105 1267,005 1267,3338 1268,3145 1282,23337 1282,3338 1283,334862 1284,5233 1284,53368 1284,53368 1284,53368 1284,53368 1285,3348 1286,73368 1286,7	1
TOTAL		29,251		2,745,483	7,425,927	

TABLE 6. -- AREA OF COMMERCIAL FOREST LAND, BY STOCKING CLASSES OF GROWING-STOCK TREES, BY COUNTY, 1978

	411		STO	CKING PERCEN	NTAGE ¹	
COUNTY	CLASSES	0VER 130	100-130	60-99	16.7-59	LESS THAN 16.7
ABBERHARDON OR ALLENDON RELECTION ON ALLENDON ON ALLENDON ON ALLENDON ON ALLENDON OR ALAUR AND ALLENDON AL	154,861 801 902 931 931 931 931 931 931 931 931	4,039 21,04662 55,0662 55,06912 8,97396 7,0975 19,97396 23,70975 105,0575 1	82961867749 6610667749766186277496618667749766186677497661866774976618667749766186677497696186967697697697697697697697697697697697697	### S	14,478 176,4299 200,6889 651,3838 551,8499 207,6288 551,8499 204,95172 134,52173 158,328 302,495172 158,328 317,6348 317,6348 317,6348 317,6348 317,6348 317,634 317,634 317,634 317,634 317,634 317,634 317,634 317,634 317,634 317,633 317,6	50,174 2,569 8,459 8,459 8,791 3,086 4,370 23,274 55,389 13,4692 4,0545 5,481 7,737 10,459 17,4225 5,481 7,737 10,497 42,269 5,0374 42,274 5,389 13,4692 4,0545 17,4225 10,497 42,269 5,0374 4,376 42,274 5,389 17,4225 10,497 42,274 5,374 17,4225 10,497 42,274 5,374 17,4225 10,497 42,274 5,374 17,4225 17,4225 17,4225 17,4225 17,4225 18,374 19,374 19,374 19,374 19,374 19,486 19
TOTAL	12,502,906	322,608	4,066,830	5,735,607	2,105,344	272,517

^{&#}x27;SEE STOCKING STANDARDS ON PAGE 12.

TABLE 7. -- VOLUME OF SAWTIMBER AND GROWING STOCK ON COMMERCIAL FOREST LAND, BY SPECIES GROUP AND COUNTY, 1978

ABBEVILLE	ALL SPECIES	PINE	SAWTIMBER OTHER					GROWING STO	CK	
	SPECIES	PINE								
ABBEVILLE		1	SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
ABBEVILLE		<i>- THO</i>	USAND BOARD	FEET			THO	USAND CUBIC	FEET	
AIKEN ALLENDALE ANDERSON BAMBERG BARNWELL BEAUFORT BEAUFORT CHARLESTON CHERSTERFIE CHARLON CHESTERFIE CLARENDON DALLON DORCHETOR DORCHETOR FLOOD HAMPITE GEORGETIELD FLORGEFIELD FLORGEFIELD FLORGEFIELD GEORGETVEOD HAMPT JASPER KERSASS LEX LAURE LEX MCCORM MARLON SALUDA SPARTE SUMTER	354,100 7306,282 1,368,597 2,363,972 811,618 1,585,779 1,433,246 1,107,055 1,966,120 1,217,078 1,581,176 989,120 1,217,978 2,782,782 1,452,082 1,057,201	302,384 866,739 454,092 3104,586 467,021 408,921 40	### ### ##############################		165,737 145,476 180,445,476 180,445 263,320 128,9575 127,9567 127,9567 110,8774 120,8365,791 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1065,7491 120,8368 1067,751 1217 1217 1217 1217 1217 1217 1217 1	257, 180 412,087 248,762 307,7461 274,695 228,677 228,677 228,677 228,677 228,677 228,677 2293,323 293,323 293,458 731,0365 463,978 4152,263,978 4152,263,978 4152,263,978 4152,263,978 4152,279 4245,395 4245,395 4245,397	97, 983 252, 7964 127, 964 127, 964 126, 358 134, 9918 121, 948 1326, 6526 148, 448 1486, 448 1486, 4399 77, 6526 148, 319 148, 319 148, 319 148, 319 149, 130 290, 472 250, 7568 131, 244 164, 203 113, 244 121, 264 121, 707 115, 763 1389, 1368 141, 707 141, 707 141	153AND CUBIC 5,283 3,114 10,417 21,172 10,281 11,635 21,403 11,635 226,9659 4,5206 10,9658 37,9668 37,9668 37,9668 37,9668 37,9688 37,9660 11,9366 11,9366 11,9366 11,9366 11,9366 11,9366 11,9366 11,937 11,937 11,937 30,480 31,5252 5,3314 12,9480 31,5252 11,937 30,480 31,5252 11,937 30,480 31,5252 11,937 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480 31,5252 11,737 30,480	<u> </u>	78,050 58,409 52,597 118,091 43,818 38,089 145,969 29,014 78,208 60,451 61,901 43,895 49,428 108,646 45,660 45,660 81,037 162,160 83,675 81,037 162,183 134,458 117,452 103,547 103,547 104,583 134,458 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 103,548 117,452 113,548 115,768
		239,866	6,340		334,090 462,393 191,227	310,705	229,805 126,666	4,615	115,005 79,878	137,667 99,546
FOTAL 5	55,568,059 2	9,073,228	2,245,588 1	3,612,246 1	0,636,997 1	7,180,375	8,353,792	573,324	4,569,377	

'FACTORS FOR CONVERTING TO CORDS ARE SHOWN ON PAGE 12.

TABLE 8. --NET ANNUAL GROWTH OF SAWTIMBER AND GROWING STOCK ON COMMERCIAL FOREST LAND, BY SPECIES GROUP AND COUNTY, 1977

			SAWTIMBER					GROWING STOC	SOFT	T HARD
COUNTY	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	HARDWOOD	HARDWOOD
		THOI	ISAND BOARD	FFFI			<i>THO</i>	USAND CUBIC	FEET	
ABBEVILLE	46 092			12,404 11,284 7,583 9,820 10,729 13,235 8,461 23,765 12,089 14,863 3,255 5,740 13,918	9 848	15,039 25,659 14,646 18,172 12,094 16,287	6,773 19,920 10,016 9,281 7,581 10,486	575	4,154 3,085	3,537
AIKEN	46,092 94,982 60,355	23,611 75,716	229 322 816	11.284	7.660	25,659	19,920	64	3,085	2,590
ALLENDALE	60 355	42,260	816	7.583	9.696	14,646	10,016	185	2,580	1,865
ANDERSON	55,658	27,830	155	9.820	17,853	18,172	9,281	229	2,693	5,969 1.691
BAMBERG	55,658 49,190	31,090	1,564 1,023 128	10,729	5,807	12,094	7,581	327 212	2,693 2,693 2,495 3,631 2,356 6,142 2,410 4,144	1,958
BARNWELL	61,253 47,088 174,209	39.669	1,023	13,235	7,326	16,287	10,486	212	3,031	1,930
BEAUFORT	47,088	33,109	128	8,461	5,390	12,409 40,866 11,721	8,377 28,494	29 826 50	2,330 E 142	5.404
BERKELEY	174,209	122,898	3.345	23,765	24,201	40,866	28,494	826	2 410	993
CALHOUN	46.075	30,595	264 3,235	12,089	3,127	11,721	8,268 16,858	527	1 144	3.458
CHARLESTON	123,637 29,132	91,399	3,235	14,863	14,140	24,987	4,801	30	984	2.823
CHEROKEE	29,132	91,399 14,998 43,120 36,325	87 248	3,255	10,792	8,638 20,794	14.868	684	2 348	2.894
CHESTER	56,971 55,570	43,120	248	5,740	/,003	18 200	11,531	58	4.114	2,497
CHESTERFIELD	55,5/0	30,325	4 255	23,617	17 778	18,200 16,904	6,875	869	5.395	3,765
CLARENDON	73,185	27,535 106,064	4,255 2,700		28 317	48,371	33,403	657	8,374	5,937
COLLETON DARLINGTON	159,887 42,502 37,212 96,211 87,734	24,540	1,365	10 181	6,416	10,754	4.979	226 212	2,828	2,721
DAKLINGIUN	37 212	15,283	1.015	14 282	6.632	10,534	3.319	212	4,983	2,020
) I L L O N	96,211	58,916	3,714	16.673	16.908	23 499	13.196	900	4,888	4,515
OORCHESTER EDGEFIELD	87 734	71 455	118	9.273	6.888	22,742 31,108	17,817	_37	2,900	1,988
FAIRFIELD	93.405	78.404	412	7,187	7,402	31,108	25,412	263	2,878	2,555
FLORENCE	96,211 87,734 93,405 102,976 101,426 70,114 84,159	78,404 64,344	412 3,213 3,143	21,914	13,505	31,108 23,1682 26,3882 21,278 24,287 36,103 26,103 26,4435 16,526 8,185 17,600	14,208 16,454	588 562 69 129	4,693	3,663 3,319
GEORGETOWN	101,426	67,315	3,143	19,752	11,216	26,682	16,454	562	b,34/	7,120
GREENVILLE	70,114	33,319	234 115	15,993	20,568	22,382	10,812	100	4,301	1,120
GREENVILLE GREENWOOD	84,159	68,724	115	7,614	7,706	21,2/8	16,468 12,843	626	5 123	1,300
HAMPTON	93,990 151,229 87,548	48,168	3,417	22,555	19,849	24,287	12,043	1 346	10 071	4 955
HORRY	151,229	83,249	6,103	44,035	17,842	36,103	19,731 17,275	1,346 664	4 271	3 892
JASPER	87,548	53,424	3,728	11,495	18,903	20,102	17,848	110	3 653	2.824
KERSHAW	70,202 46,863	53,859	3,728 260 554 974	10,173	5,910	16 481	10,245	258	2.861	3.117
LANCASTER	46,863	30,301 54,204	074	13 854	15 469	27,526	17,666	285	4.378	5,197
LAURENS	84,501	12,891	974 10	6 973	3,819	8.185	4,550	3	2.556	1,076
LEE	23,702 62,714	50.916	153	6 673	4'972	15.600	12,522	46	1,561	1,471
LEXINGTON	67 581	52,875	657	5.275	5.774	17.927	13,701	130	1,894	2,202
MCCORMICK	64,581 75,491	28,811	4,038 1,481	22,806 10,282 16,282 16,273 7,1914 19,795 15,7993 10,5033 10,5033 10,5033 10,5033 10,5033 10,5033 10,626 110,204 110,683 110,683 110,893 110,8	12,376	17,927 18,671	6,747	709	7,679	3,536
MARION MARLBORO	4 N 195	14,884	1,481	17,061	6,769	9,636 35,824 20,752	3,463	270	4,026	1,877
NEWBERRY	127.765	103,699	954	10,215	12,897	35,824	28,990	517	2,764	3,553
OCONEE	57,258 106,476	27.307	5,246	6,093	18,612	20,752	11,353	1,092	1,845	6,462
ORANGEBURG	106,476	. 55,066	2,748	28,419	20,243	29,339 13,337 20,921	14,686 3,702	617 410	7,412	6,624 5.806
PICKENS	50,487	14,491	2,084	14,268	19,544	13,337	3,702	517	3,419	3,506
RICHLAND	80,378	49,566	974	17,875	11,903	20,921	12,226	17	1 420	2,065
SALUDA	50,487 80,378 76,106	65,897	44	2,768 13,723	7,397 25 128	20,635 20,916 14,612 20,696	17,133 11,136	906	2 808	6,066
SPARTANBURG	74.244	35,097	296 1,352	13,743	7 976	14 612	7,015	305	4.714	2.578
SUMTER	61,583	30,883 47.584	1,352	13,723 21,372 12,471	19,096	20.696	12,532	97	3.291	4,776
UNION	100 303	69,201	1,857	16 329	20.916	24.877	13,876	97 295	984 2,1197 984 1,1397 4,1397 8,888 1,337 8,988 1,337 1,338 1,338 1	5.599
WILLIAMSBURG	79,347 108,303 57,237	26,914	848	16,329 11,743	9,66953 77,6880260 175,732027 144,778377 178,37216 107,83716 107,83716 107,83716 107,83716 107,83716 107,83716 107,83716 107,83416 107,83716 107,8	19,565	10,404	380	3,760	5,021
YORK			69,683	647,412	574,322	963,345	599,841	17,908		164,492
TOTAL	3,529,223	2,237,000	05,000	047,412	U171JCC	303,540	000,011			, , , , , , , ,

TABLE 9	-ANNUAL REMOVAL	S OF SAW	IMBER AND	GROWING STO	TOCK ON COMMERC	PCIAL FORES	1 LAND, BY	PECIES GA	UP AND COUN	17, 1977
			SAWTIMBER)	NG 510	- k	-
COUNTY	SPECIES	PINE	OTHER SOFTWOOD	SOFT	HARDW00D	ALL SPECIES	PINE	SOFTWOOD	HARDWOOD	HARDWOOD
	1	7400	ISANO BOA	E7	1	!	OH1 -	USAND CUBIC	1333	- 1
<u>.</u>	2.86	0.029	ı	1	83	.79	4	1	∞	တော့ပ
1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	5,57	22	860	$_{\infty}$	4 1	96	S.	161	40	η η υ
END	. 83	6,59		0,0		Δī.	ر ا	10	$\supset \alpha$	DКС
DERSO	7,00	4 - C	1 604	n o	מק מיכ	400	 - <	311		\sim
5 U M Z Z	γ. Σα	_ r:	Ú I	t cc	<u>-</u>	, , , , ,	95	4	S	
LIFOR	3.64	8 18	1	4	0.1	3,18	1,74	1	27	ഗ
XEL ZEL	4 98	5,50	1,476	27	\sim	10	80	336	OD (7,0
HOUN	2,87	0,13	1		ω. 4	-12		1	>-	0
	7,0	6,00	1	ک ر د	4 4	ם סנ	ນ ບຸດ	L	٦,	. IC
ACX TO TO	70,0	ם חת	 	o Q o Ru	ن س	- G:	000	54	· 05	62
200	9.0	4 61	,	വ	 	3	90.	- 1	29	, 78
RENDON	4,76	0,39	3,543	26	, 56	, 07	Ę,	069	800	œ -
LETON	98,0	7,17	Ф	57	5.	5,16	ж Ж	-	י. טיני חיני	Ξα
3F 186	5,59	20 20 20 20 20	1	かく ファマ	4.	2	 α	i 1	ンに	75
LON	-α -α	0 W	789	4 α. υ α.	, 4 Ω		, m	138	ം ഹ	86
SEF LFLD	3.40	1,00) į	05	, 3 9 8 9	45	8,	- 1	30	\circ
RF IE	4,72	3,20	535	50	48	95		261		1∞
ORENCE		യ പ്	L	φ. Ω. (3.5	36	7.0	1 0	,) (ת ה
<u>ج</u> ۲	ה ה הער	_ ^ _ ∩ _ ⊓,	4,5U3	ρ <u>-</u> α	, ⊥C	0,4 3,7	, œ	1 1	. 06	74
	, σ ο σ	38.		- m	69	2,6	55	1	70	62
JP TON	0,82	5,46	ŀ	10	26	<u>.</u> 97		1 0	98	m.
3RY	സ് ന് 4	2,40	769	10,539	m c	90,	00,	13./	4 T 4 ±	ე ი ე ი
SPER FER	7, 0	ך ע מע		ος Ο C	- m	50	70	36	20	20
メロクア	9.0	4 13	- 1) 1 I	0.4	. 86	49		12	23
JRENS	8,87	4,00	544	9,139	00 ((N)	74	202	2,422	n c
	 D D	ວັດ ລັດ	1	, 0 4	$\circ \infty$	 4 €.	200	i	, an	oω
2 C C C C	9,0	7.49	- 1	49	20	- 3	47	- 1	4	N.
NO - 2	5,19	2,75	4,609	8 0 1	69.	19	90			40
7 LB	200	2 2 2 2 3	\Box	o	_ 4 (Մ	0.3	0.0	1 00	~ (~	300
2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.4	2,03	200		7.5	50	500		88	73
ANGE	4 48	2,59	3, 4, 455 155 155 155 155 155 155 155 155 155	, 21	[2]	7.9			(~ (
CKENS	80 C	 	, D.	1	U.L.	4.00	_ D.C.	寸 Ⅰ	n (-	
Z	9, 6 9, 0	9.0	1	9.	. S	, 04			∞	. 4
AR.	5,75	3,01	1.3	92	8	90,	98	1 (∞	മ
MTER	7,0 20,0 10,0	പ്പ	1,648	4.	1,134			304	<u>~</u> -	N C
UNION WILLIAMSBURG	61,996	43,203	1	4,420	37	13,607	ადი ანე ანე	. 4 . 0	1,491	3,162
~	, u	-		7,00		4,00	2,06	ì	0,1	2
TOTAL	1,842,345	1,330,964	29,530	230,417	251,434	495,955	353,875	6,655	64,245	71,180

TABLE 10. -- AREA OF COMMERCIAL FOREST LAND, BY FOREST TYPE AND OWNERSHIP CLASS, 1978

FORECT TYPE	ALL		OW	NERSHIP CLAS	SS	
FOREST TYPE	OWNERSHIPS	NATIONAL FOREST	OTHER PUBLIC	FOREST INDUSTRY	FARMER	MISC. PRIVATE
SOFTWOOD TYPES:		· -	ACK	9ES		
WHITE PINE-HEMLOCK SPRUCE-FIR	13,374	4,632	<u>-</u> -			8,742
LONGLEAF PINE SLASH PINE LOBLOLLY PINE SHORTLEAF PINE VIRGINIA PINE SAND PINE	471,112 512,137 3,403,718 655,877 178,021	20,024 2,482 266,979 31,539 4,632	96,468 58,863 117,822 22,154	34,494 158,291 829,375 63,193 3,613	121,794 114,723 1,035,155 236,043 90,148	198,332 177,778 1,154,387 302,948 79,628
EASTERN REDCEDAR POND PINE SPRUCE PINE PITCH PINE TABLE-MOUNTAIN PINE	22,764 301,549 7,735 4,633	15,224	10,102	2,864 78,250 7,011	17,600 94,092	2,300 103,881
TOTAL	5,570,920	350,145	306,133	1,177,091	1,709,555	2,027,996
HARDWOOD TYPES: OAK-PINE OAK-HICKORY CHESTNUT OAK SOUTHERN SCRUB OAK OAK-GUM-CYPRESS ELM-ASH-COTTONWOOD MAPLE-BEECH-BIRCH	1,718,544 2,694,392 4,405 246,457 1,990,754 277,434	70,391 80,571 60,401 17,216	58,662 68,127 24,524 47,697 6,960	217,780 332,448 15,086 437,321 62,854	697,248 1,150,352 83,693 784,133 68,522	674,463 1,062,894 4,405 123,154 861,202 121,882
TOTAL	6,931,986	228,579	205,970	1,065,489	2,783,948	2,648,000
ALL TYPES	12,502,906	578,724	512,103	2,242,580	4,493,503	4,675,996

TABLE 11. -- AREA OF COMMERCIAL FOREST LAND, BY OWNERSHIP AND STOCKING CLASSES OF GROWING-STOCK TREES, 1978

OWNERSHIP	ALL		STO	CKING PERCE	NTAGE	
CLASSES	CLASSES	OVER 130	100-130	60-99	16.7-59	LESS THAN 16.7
NATIONAL FOREST OTHER PUBLIC FOREST INDUSTRY FARMER MISC. PRIVATE	578,724 512,103 2,242,580 4,493,503 4,675,996	10,427 9,176 80,789 64,990 157,226	260,219 150,119 958,625 1,235,628 1,462,239	263,389 208,086 855,669 2,244,540 2,163,923	44,689 131,081 292,174 857,481 779,919	13,641
ALL OWNERSHIPS	12,502,906	322,608	4,066,830	5,735,607	2,105,344	272,517

TABLE 12. -- VOLUME OF TIMBER ON COMMERCIAL FOREST LAND, BY CLASS AND SPECIES GROUP, 1978

CLASS OF TIMBER	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
SAWTIMBER TREES:	~	THOU	SANO CUBIC	FEET	
SAW-LOG PORTION UPPER-STEM PORTION	10,825,859 1,031,188	5,639,640 379,186	446,097 29,994	2,682,380 351,987	2,057,742 270,021
TOTAL	11,857,047	6,018,826	476,091	3,034,367	2,327,763
POLETIMBER TREES	5,323,328	2,334,966	97,233	1,535,010	1,356,119
ALL GROWING-STOCK TREES	17,180,375	8,353,792	573,324	4,569,377	3,683,882
ROUGH TREES:					
SAWTIMBER-SIZE TREES POLETIMBER-SIZE TREES	803,728 1,115,948	87,173 122,613	10,106 8,842	401,083 501,953	305,366 482,540
TOTAL	1,919,676	209,786	18,948	903,036	787,906
ROTTEN TREES:					
SAWTIMBER-SIZE TREES POLETIMBER-SIZE TREES	223,213 27,906	1,597 156	15,325 390	131,741 16,628	74,550 10,732
TOTAL	251,119	1,753	15,715	148,369	85,282
SALVABLE DEAD TREES:					
SAWTIMBER-SIZE TREES POLETIMBER-SIZE TREES	25,889 19,063	20,307 15,266	619 609	2,775 1,455	2,188 1,733
TOTAL	44,952	35,573	1,228	4,230	3,921
TOTAL, ALL TIMBER	19,396,122	8,600,904	609,215	5,625,012	4,560,991

	1			¥ 0	METER CLA	SS CINCHES	A BKEAS	HE GH :			
SPECIES	CL ASSES	5.0-	7.0-		11.0-	13.0-	15	17.0-	19.0- 20.9	21.0- 28.9	29.0 AND
SOF TWOOD:	t t	1	1	1 1	THOUS	ISAND TREES	1 1	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	1 1
LONGLEAF PINE	9,37	7,94	4,25	94	90,	98.	2,104	கை	157	66 41	2
SHORTLEAF PINE	A RO	000	-m	-0	9,21	3,28	33.	7 456 616	(D) =	S	100
OBLOLLY PIN	85,13 46,37	ъ, 8ъ 7, 03	1,5 1,5 1,5 1,5 1,5 1,5 1,5 1,5 1,5 1,5	4. 200	. 80	78	1,367	 	27	- -	
IRGINIA PI	5,20 66	5,83 12	93	63	დ.⊶	-2	234 11	\sim	S -	n - 	1 1
TABLE-MOUNTAIN PINE SPRUCE PINE	1,915	380	1 4	10	16	187	131	70	70	46	! !
AND PINE ASTERN WHITE ASTERN HERE	700	1 1 1 1 1 0		87		1 00 C 1 00 M	75	22 1	24	. 986 . 21	00
<u>ت مر</u>	15,078 11,227 14,636	93,100,000,000,000,000,000,000,000,000,00	2,509 2,509 3,191	2,503 2,203 1,319	1,803	1,772 839 35	1,304	784 186 36	523 1553 23	620 128 16	62
TOTAL SOFTWOODS	33	51	. 7	92	m	43,135	22,868	10,878	4,710	3,945	181
HARDWOOD:											
ELECT WHI	94,	00	12,237	7,942	4,538 1,516	2,957	1,855	892	395 136	473 232	48 31
HESTNUT DAK THER WHITE O	4 34 2 60	1,22 0,30	94 4,65	98 3,12	y O	27,	ມ ພ	25		0 4.0	ıœ۰
THER RED DAKS ICKORY	6,63 6,66	92,	വയ	ω⊶	നഥ	യ	∪	ဘတ	1,689 333	⊃r~	34 / 66
ARD (1 00	. A	ım	21	10	1 (1	1 1 0	1 (1 1	(-
DET MAPL	100	നയ	ī, ∴C	90 5		, 22 13	$-\infty$	9	თ. რ	32 10	<u> </u>
SWEETGUM TUPELO AND BLACKGUM	100	66,743 29,475	35,232 22,429	19,963 15,455	12,611 13,060	7,056	5,184 5,462	2,363 3,058	1,120	1,094	177
SH OTTON#000	1.28 2.54 3.44	400°	, 13 47	υ. 1	46	20,	⊃ [~	· 4	വഗ	-0	λΩ: 4 & i
ASSWOOD ELLOW-POPLAR	\mathbf{r}	တယထ	6,764	100	4,198	3,023	2,009	1,328	837 10	682 16	4 1 4
A Y Y	¬ • + ∩	200	7-0	1021 1040) N) 4	000	5 5	0 1 4	ייי	9 : 9	
LACK WALNU YCAMORE	7 ~ (こして	10/6	തെര	4 683 83] -		104	172	13
1 LL	17,687 15,499	8,589 7,051	3,952 3,713	2,066 1,784	1,477	634 714	421 472	253 216	137 159	126 139	
# #	683,483	272,971	155,704	95,426	64,135	40,323	24,423	13,666	7,434	8,368	1,033
22122	1 505 079	640 489	300 403	030 364	149 671	83 458	10000	24 544	771 01	10 212	710 -

TABLE 14 -- VOLUME OF ALL LIVE TREES ON CONWERCIAL FOREST LAND BY SPECIES AND DIAMETER CLASS, 1978

TABLE	14 VOL UM	E OF ALL LI	VE TREES ON						A33, 1910	·	
SPEC (ES	ALL CLASSES	5.0-	7.0-	9.0-	AMETER CLA 11.0~ 12.9	13.0- 14.9	15.0- 16.9	17.0-	19.0-	21.0-	29.0 AND LARGER
		6.9	8.9	10,9	12.9 [THOUSAN			18.9	20.9		
SOFTWOOD:		 -			IMUUSAN	U LUBIL FE	2/				
LONGLEAF PINE SLASH PINE SHORTLEAF PINE LOBLOLLY PINE POND PINE VIRGINIA PINE PITCH PINE TABLE-MOUNTAIN PINE	699,227 583,840 1,041,055 5,442,108 479,421 272,243 9,047	53,195 128,845 175,521 508,673 45,739 50,849 628	95,633 174,013 267,248 801,060 77,076 72,019 1,055	138,532 120,751 245,781 904,416 88,522 67,909 1,801	154,386 78,044 174,401 901,960 89,016 41,695 3,359	132,722 34,382 93,955 779,949 74,231 25,278	76,651 27,535 51,963 610,661 48,363 7,445	32,785 12,494 23,024 405,343 27,342 5,156 936	8,992 3,738 4,199 234,279 16,666 884	5,708 4,038 4,585 276,384 12,466 1,008	623 378 19,383
SPRUCE PINE	38,390	1,963	4,218	4,975	6,052	4,639	4,631	3,275	4,471	4,166	
SAND PINE EASTERN WHITE PINE EASTERN HEMLOCK	23,448 7,135	 588	1,082 960	1,098 730	1,686 979	2,173 1,011	2,693 454	2,344	1,551	9,828 2,413	
SPRUCE AND FIR BALDCYPRESS PONDCYPRESS CEDARS	372,015 139,972 65,417	13,248 12,486 23,249	21,404 16,775 16,673	37,654 26,134 13,291	39,727 19,567 5,322	52,829 21,219 1,098	52,145 15,787 1,274	38,686 8,073 1,439	33,909 8,223 1,508	60,688 9,563 1,563	21,725 2,145
TOTAL SOFTWOODS			1,549,216	1,651,594	1,516,194	1,224,052	900,304	560,897	318,420	392,410	45,247
HARDWOOD:											
SELECT WHITE OAKS SELECT RED OAKS CHESTNUT OAK OTHER WHITE OAKS OTHER RED OAKS HICKORY	629,929 222,823 70,044 351,347 2,025,754 445,253	68,301 15,099 5,873 38,477 235,721 49,736	86,291 20,292 8,181 37,188 275,541 59,118	97,650 28,692 11,932 40,706 272,128 53,791	88,703 32,253 12,034 43,293 264,188 57,935	82,271 34,313 9,387 35,975 219,233 58,383	68,214 29,927 7,316 24,532 196,493 45,735	47,019 22,488 6,674 22,134 141,849 33,878	28,874 8,985 824 22,355 115,386 23,773	49,555 23,237 6,546 53,245 218,359 45,750	13,051 7,537 1,277 33,442 86,856 17,154
TALLOW BIRCH HARD MAPLE SOFT MAPLE BEECH SWEETGUM TUPELO AND BLACKGUM ASH COTTONWOOD	11,686 736,562 48,962 1,814,882 1,899,624 367,3604 73,604 1,588	2,957 118,585 2,384 205,167 137,713 41,778 2,593 710	1,032 111,891 3,305 261,363 198,791 45,435 4,435	3,122 112,177 5,022 282,071 249,376 62,955 5,408		1,170 85,423 4,938 227,033 292,674 52,949 6,357	575 70,462 4,221 184,097 228,431 31,237 7,531	45,040 3,229 136,212 162,481 29,217 8,152	503 37,163 3,703 85,066 104,526 17,130 4,001	1,235 48,381 13,493 125,686 173,303 26,320 11,375	10,703 1,184 21,615 42,423 6,254 14,129
BASSWOOD YELLOW-POPLAR BAY AND WAGNOLIA BLACK CHERRY	622,006 32,739 33,712 12,710 70,454	35,982 9,421 12,454 1,679	50,434 6,406 10,842	73,907 3,616 6,295	85,008 3,496 2,752	89,277 2,381 763 703	80,413 2,540 322 1,299	70,711	55,046 717	70,282 1,600 284	10,946 2,088
BLACK WALNUT Sycamore	70,454	1.410	541 3,843 2,141	2,300 4,297	1,300 10,354	13,073	4,628	2,591 6,547 394	318 7,593	1,979 15,938	2,771
BLACK LOCUST ELM OTHER EASTERN HARDWOODS	229,981	1,338 33,652 143,464	2,141 34,338 96,048	1,001 33,729 70,766	. 300 37,963 50,547	22,256 32,304	334 18,938 26,068	15,004 14,381	9,910 14,719	16,454 18,647	7,737 3,809
TOTAL HARDWOODS	10,177,852	1,164,494	1,317,547	1,420,941	1,456,982	1,270,863	1,033,313	768,475	540,592	921,669	282,976
ALL SPECIES	19,351,170	2,179,478	2,866,763	3,072,535	2,973,176	2,494,915	1,933,617	1,329,372	859,012	1,314,079	328,223

SOFTWOOD:

DIAMETER CLASS (INCHES AT BREAST HEIGHT) ALL CLASSES 29.0 AND LARGER SPECIES 19.0-20.9 21.0-28.9 15.0-16.9 17.0-18.9 5.0-6.9 7.0-8.9 9.0-11.0-- THOUSAND CUBIC FEET - -285 5,708 LONGLEAF PINE 137,984 153,871 132,312 76,472 32,785 8,856 52,545 94,159 694,977

TABLE-MOUNTAIN PINE SPRUCE PINE 35,494 1,079 2,827 4,761 5,840 4,444 4,631 3,275 4,471 4,166	SLASH PINE SHORTLEAF PINE LOBLOLLY PINE POND PINE VIRGINIA PINE PITCH PINE	564,197 1,016,279 5,316,362 461,605 257,029 7,849	120,653 169,296 474,296 41,544 47,274 354	165,855 259,559 764,942 73,229 66,299 1,055	118,931 240,875 876,451 84,609 63,490 1,801	76,961 170,638 889,811 86,300 41,007 2,791	33,992 92,625 775,232 71,862 24,466 566	27,535 51,634 606,318 48,033 7,445 346	12,494 22,897 404,355 27,159 5,156 936	3,738 3,792 232,400 16,666 884	4,038 4,585 273,174 12,203 1,008	378 19,383
EASTERN WHITE PINE 23,236 1,082 1,088 1,666 2,173 2,693 2,344 1,551 9,615 993 EASTERN HEMBOOK 7,135 588 960 730 979 1,011 454 2,413 SPRUCE AND FIR 34,929 11,027 19,695 35,466 37,636 51,904 50,558 38,307 33,423 58,140 13,118 PONDCYPRESS 133,964 11,107 16,039 25,525 19,195 20,630 14,917 7,795 7,744 9,444 1,568 PONDCYPRESS 51,585 21,408 15,325 12,215 5,077 654 1,274 1,270 1,349 1,123 TOTAL SOFTWOODS 8,927,116 951,711 1,481,028 1,603,956 1,491,792 1,211,871 892,310 558,773 314,874 385,613 35,723 PARDWOOD; ***SELECT WHITE OAKS 585,408 58,350 78,253 91,817 84,175 80,018 67,075 43,699 25,272 45,372 11,375 EELECT WHITE OAKS 581,685 12,715 17,329 25,442 28,175 32,159 29,025 21,551 8,822 22,538 5,460 CHESTNUT OAK 53,118 3,089 6,257 10,681 9,461 7,349 5,230 5,655 3,98 4,988 0,788 11,000 1,		35,494	1,079		4,761			4,631	3,275		4,166	
BALDCYPRESS 349,293 11,027 19,686 35,486 37,636 51,904 50,558 38,307 33,423 58,140 13,116 50,000 59,696 21,408 15,326 12,215 5,077 654 1,274 1,270 1,349 1,123 5-20,600 14,917 7,795 7,744 9,444 1,568 7,000	EASTERN WHITE PINE EASTERN HEMLOCK	23,236 7,135	588	1,082 960	1,098 730		1,011	2,693 454			2,413	
SELECT WHITE OAKS 585,406 58,350 78,253 91,817 84,175 80,018 67,075 43,699 25,272 45,372 11,375 85,621 RED OAKS 203,276 12,775 17,329 25,442 28,175 32,159 29,025 21,551 8,822 22,538 5,460 CHESTNUT OAK 53,116 3,089 6,257 10,681 9,461 7,349 5,230 5,655 396 4,998 07,016 RM HITE OAKS 234,705 27,099 25,194 31,465 31,969 25,390 17,840 11,955 13,585 31,724 18,544 01,687 40,683 41,875 53,623 47,266 53,506 197,971 181,282 127,634 105,039 191,234 67,845 11,000 RM RED OAKS 1,774,432 194,580 236,185 237,002 235,660 197,971 181,282 127,634 105,039 191,234 67,845 11,000 RM RED OAKS 4,875 53,623 47,266 53,506 53,009 41,995 31,091 22,481 39,991 15,733 YELLOW BIRCH 4,875 53,623 47,266 53,506 53,009 41,995 31,091 22,481 39,991 15,733 YELLOW BIRCH 4,875 53,623 47,266 53,506 53,009 41,995 31,091 22,481 39,991 15,733 YELLOW BIRCH 4,875 53,623 47,266 53,506 53,009 41,995 31,091 22,481 39,991 15,733 YELLOW BIRCH 4,875 53,623 47,266 53,506 53,009 41,995 31,091 22,481 39,991 15,733 YELLOW BIRCH 4,875 54,000 RM APLE 4,144 54,121 816,467 24,4076 243,228 193,919 137,943 87,960 135,091 25,952 ASH 10,991 10	BALDCYPRESS PONDCYPRESS	133,964	11,107	16,039	25,525	19,195	20,630	14,917	7,795	7,744	9,444	
SELECT WHITE OAKS 585,406 58,350 78,253 91,817 84,175 80,018 67,075 43,699 25,272 45,372 11,375 SELECT RED OAKS 203,276 12,775 17,329 25,442 28,175 32,159 29,025 21,551 8,822 22,538 5,460 CHESTNUT OAK 51,168 3,089 6,257 10,681 9,461 7,349 5,230 5,655 396 4,998	TOTAL SOFTWOODS	8,927,116	951,171	1,481,028	1,603,956	1,491,792	1,211,871	892,310	558,773	314,874	385,613	35,723
SELECT RED DAKS	HARDWOOD:											
HARD MAPLE 8,341 1,442 485 2,752 394 1,170 575 503 1,020 3-505 MAPLE 461,436 66,925 63,913 72,415 61,853 58,653 47,814 31,870 23,801 31,000 3,192 8EECH 37,962 1,247 2,076 3,656 6,571 3,804 3,261 2,815 2,677 11,414 441 5WEETGUM 1,621,784 161,685 223,517 250,170 257,734 207,771 175,785 129,499 80,738 115,933 18,952 10PELO AND BLACKGUM 1,485,701 86,852 144,213 186,467 244,076 243,228 193,919 137,943 87,960 135,091 25,952 ASH 284,325 26,626 29,136 48,492 42,095 44,676 28,333 24,951 15,160 22,379 4,477 COTTONWOOD 69,018 1,688 3,069 5,072 9,346 5,933 7,129 7,757 3,784 11,375 13,865 8ASSWOOD 1,042 2,60 782 782 782 782 782 782 782	SĒLĒCT RED OAKS CHESTNUT OAK OTHER WHITE OAKS OTHER RED OAKS HICKORY	203,276 53,116 234,705 1,774,432 400,630	12,775 3,089 27,039 194,580 41,875	17,329 6,257 25,194 236,185 53,623	25,442 10,681 31,465 237,002 47,266	28,175 9,461 31,969 235,660 53,506	32,159 7,349 25,390 197,971 53,069	29,025 5,230 17,840 181,282 41,995	21,551 5,655 11,955 127,634	8,822 396 13,585 105,039	22,538 4,998 31,724 191,234	5,460 18,544 67,845
YELLOW-POPLAR 589,935 30,498 46,854 70,562 82,321 85,885 78,577 68,437 54,408 63,148 9,245 8AY AND MAGNOLIA 18,378 4,241 3,434 2,340 2,510 1,249 2,029 178 557 1,140 700 8LACK CHERRY 12,585 5,140 4,679 1,589 975 202 8LACK WALNUT 8,756 599 139 1,165 725 703 1,160 2,315 318 1,632 SYCAMORE 62,474 296 2,812 3,259 9,524 11,684 4,115 5,783 6,926 15,521 2,554 8LACK LOCUST 2,246 473 788 291 300 394 394 8LACK LOCUST 2,246 473 788 291 300 394 394 8LACK LOCUST 2,246 473 788 291 300 394 394 594 8 291 300 394 594 8 291 300 394 594 8 291 300 394 594 8 291 300 594 8 291 300 200 8 20	HARD MAPLE SOFT MAPLE BEECH SWEETGUM TUPELO AND BLACKGUM ASH COTTONWOOD	8,341 461,436 37,962 1,621,784 1,485,701 284,325 69,018	1,442 66,925 1,247 161,685 86,852 26,856 1,688	485 63,913 2,076 223,517 144,213 29,136	2,752 72,415 3,656 250,170 186,467 46,492 5,072	394 61,853 6,571 257,734 244,076 42,095 9,346	1,170 58,653 3,804 207,771 243,228 44,676 5,933	575 47,814 3,261 175,785 193,919 28,333	31,870 2,815 129,499 137,943 24,951	23,801 2,677 80,738 87,960 15,160	31,000 11,414 115,933 135,091 22,379	441 18,952 25,952 4,477
BLACK WALNUT 8,756 599 139 1,165 725 703 1,160 2,315 318 1,632 SYCAMORE 62,474 296 2,812 3,259 9,524 11,684 4,115 5,783 6,926 15,521 2,554 BLACK LOCUST 2,246 473 788 291 300 394 ELM 178,676 22,335 24,933 24,328 28,960 17,876 17,471 13,732 9,571 13,295 6,175 OTHER EASTERN HARDWOODS 159,035 18,224 22,998 20,772 23,248 19,389 17,958 9,996 10,431 15,479 540 TOTAL HARDWOODS 8,253,259 766,239 989,887 1,135,003 1,214,360 1,098,179 920,573 677,255 472,429 774,284 205,050	YELLOW-POPLAR BAY AND MAGNOLIA	589,935 18,378	30,498 4,241	3,434	70,562 2,340	82,321 2,510	85,885 1,249	2,029	178	557		
ELM 178,676 22,335 24,933 24,328 28,960 17,876 17,471 13,732 9,571 13,295 6,175 0THER EASTERN HARDWOODS 159,035 18,224 22,998 20,772 23,248 19,389 17,958 9,996 10,431 15,479 540 TOTAL HARDWOODS 8,253,259 766,239 989,887 1,135,003 1,214,360 1,098,179 920,573 677,255 472,429 774,284 205,050	BLACK WALNUT Sycamore	8,756 62,474	599 296	139 2,812	1,165 3,259	725 9,524	703 11,684	1,160 4,115	2,315 5,783	318 6,926		
	ĒĹM	178,676	22,335	24,933	24,328	28,960			13,732			
ALL SPECIES 17,180,375 1,717,410 2,470,915 2,738,959 2,706,152 2,310,050 1,812,883 1,236,028 787,303 1,159,902 240,773	•		766,239	989,887	1,135,003	1,214,360	1,098,179	920,573	677,255	472,429	774,284	205,050
	ALL SPECIES	17,180,375	1,717,410	2,470,915	2,738,959	2,706,152	2,310,050	1,812,883	1,236,028	787,303	1,159,902	240,773

TABLE 15 .- - VOLUME OF GROWING STOCK ON COMMERCIAL FOREST LAND, BY SPECIES AND DIAMETER CLASS, 1978

TABLE 16. -- VOLUME OF SAWTIMBER ON COMMERCIAL FOREST LAND. BY SPECIES AND DIAMETER CLASS, 1978

TABLE 16.	VOLUME OF S	SAWTIMBER ON	COMMERCIAL	FOREST LAN	D, BY SPECI	ES AND DIAM	ETER CLASS,	1978	
	ALL			DIAMETER CL					
\$PECTES	CLÂSSES	9.0- 10.9	11.0- 12.9	13.0-	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 28.9	29.0 AND LARGER
	-			THOUSA	NO BOARO FE	EI			
SOFTWOOD:								٠	
LONGLEAF PINE SLASH PINE SHORTLEAF PINE LOBLOLLY PINE POND PINE VIRGINIA PINE	2,743,173 1,248,606 2,596,103 20,055,541 1,673,412 574,085 27,592	558,328 438,761 884,499 3,071,456 319,142 219,762	740,940 351,590 765,974 3,934,079 390,316 169,257	708,620 176,738 470,515 3,918,931 364,764 111,446	439,610 155,698 285,165 3,357,623 263,360 36,651	199,296 75,230 134,609 2,386,323 157,149 26,545 5,537	56,089 23,683 23,377 1,443,307 100,827 4,771	38,236 26,906 29,341 1,804,917 77,854 5,653	2,623 138,905
PITCH PINE	27,592	5,870	11,389	2,835	1,961	5,537	,		
TABLE-MOUNTAIN PINE SPRUCE PINE SAND PINE	154,716	20,806	27,337	21,435	23,097	16,689	23,231	22,121	
EASTERN WHITE PINE EASTERN HEMLOCK	123,652 28,146	4,139 2,283	3,942	10,491 4,782	14,106 2,355	12,822	9,012	59,519 14,784	6,447
SPRUCE AND FIR BALDCYPRESS PONDCYPRESS CEDARS	1,520,593 466,628 106,569	103,564 78,658 49,388	141,697 75,237 23,834	224,339 91,837 3,269	242,977 72,747 7,134	196,964 40,720 7,359	182,470 42,239 8,391	341,815 55,068 7,194	86,767 10,122
TOTAL SOFTWOODS	31,318,816		6,642,708	6,110,002	4,902,484	3,259,243	1,917,397	2,483,408	246,918
HARDWOOD:								,	
SELECT WHITE OAKS SELECT RED OAKS CHESTNUT OAK OTHER WHITE OAKS OTHER RED OAKS HICKORY	1,533,957 657,972 131,261 738,015 5,261,646 1,179,648	 	274,746 91,863 29,461 114,817 848,479 180,839	311,967 126,550 27,392 106,945 833,683 213,065	291,214 127,675 21,639 83,040 845,003 189,803	207,600 101,766 25,343 60,034 643,513 152,107	126,590 44,944 1,868 72,167 560,039 116,990	252,440 128,728 25,558 183,130 1,099,014 226,825	69,400 36,446 117,882 431,915 100,019
YELLOW BIRCH HARD MAPLE SOFT MAPLE BEECH SWEETGUM TUPELO AND BLACKGUM ASH COTTONWOOD BASSWOOD	16,082 1,043,461 122,523 4,601,234 4,582,304 767,904 287,904 2,825		1,416 194,689 24,085 911,469 748,114 137,733 29,052 2,825	4,790 217,982 14,441 885,340 919,390 171,941 22,754	2,497 198,701 12,709 845,500 844,246 121,090 30,693	142,661 11,222 678,188 664,317 115,545 36,574	2,367 112,839 10,838 450,128 454,957 74,531 19,012	5,012 158,653 47,353 701,968 777,680 119,990 62,828	17,934 1,875 128,641 173,600 26,229 86,991
YELLOW-POPLAR BAY AND MAGNOLIA	2,158,297 39,670		292,708 8,063	369,422 4,981	382,023 9,706	361,272 806	305,413 2,679	383,312 7,651	64,147 5,784
BLACK CHERRY BLACK WALNUT SYCAMORE BLACK LOCUST	4,174 24,250 253,760 2,541		3,400 2,499 29,455 1,039	774 2,452 44,371	4,087 17,764	8,219 27,501 1,502	1,133 34,548	5,860 84,673	15,448
ELM OTHER EASTERN HARDWOODS	450,470		97,543 73,506	68,923 70,983	74,350 73,016	62,450 44,254	45,481 48,146	67,502 77,174	34,221 3,111
TOTAL HARDWOODS	24,249,243	- -	4,097,801		4,174,756	3,344,874	2,484,670	4,415,353	1,313,643
ALL SPECIES	55,568,059	5,756,656	10,740,509	10,528,148	9,077,240	6,604,117	4,402,067		

TABLE 17. --NET ANNUAL GROWTH AND REMOVALS OF GROWING STOCK ON COMMERCIAL FOREST LAND, BY SPECIES, 1977

SPECIES	NET ANNUAL GROWTH	ANNUAL TIMBER REMOVALS
SOFTWOOD:	THOUSANL	O CUBIC FEET
YELLOW PINES EASTERN WHITE PINE	599,841 1,069	353,875 406
SPRUCE AND FIR CYPRESS OTHER EASTERN SOFTWOODS	11,117 5,722	4,859 t,390
TOTAL SOFTWOODS	617,749	360,530
HARDWOOD:		
SELECT WHITE AND RED OAKS OTHER WHITE AND RED OAKS HICKORY YELLOW BIRCH	36,353 100,544 13,668	19,641 40,304 6,005
HARD MAPLE SWEETGUM ASH, WALNUT, AND BLACK CHERRY YELLOW-POPLAR TUPELO AND BLACKGUM BAY AND MAGNOLIA OTHER EASTERN HARDWOODS	222 73,372 10,329 32,227 36,679 768 41,434	26,778 3,140 8,819 17,757 167
TOTAL HARDWOODS	345,596	135,425
ALL SPECIES	963,345	495,955

TABLE 18. -- NET ANNUAL GROWTH AND REMOVALS OF SAWTIMBER ON COMMERCIAL FOREST LAND, BY SPECIES, 1977

SPECIES	NET ANNUAL GROWTH A	NNUAL TIMBER REMOVALS
SOFTWOOD:	THOUSAND	BOARD FEET
YELLOW PINES EASTERN WHITE PINE SPRUCE AND FIR	2,237,806 5,245	1,330,964 2,120
CYPRESS OTHER EASTERN SOFTWOODS	55,271 9,167	23,443 3,967
TOTAL SOFTWOODS	2,307,489	1,360,494
HARDWOOD:		
SELECT WHITE AND RED OAKS OTHER WHITE AND RED OAKS HICKORY YELLOW BIRCH	136,250 341,586 40,663	73,788 137,887 20,602
HARD MAPLE SWEETGUM ASH, WALNUT, AND BLACK CHERRY YELLOW-POPLAR TUPELO AND BLACKGUM BAY AND MAGNOLIA OTHER EASTERN HARDWOODS	2,541 240,626 39,017 148,610 154,616 1,545 116,280	89,001 11,347 38,091 66,868 649 43,618
TOTAL HARDWOODS	1,221,734	481,851
ALL SPECIES	3,529,223	1,842,345

TABLE 19. -- MORTALITY OF GROWING STOCK AND SAWTIMBER ON COMMERCIAL FOREST LAND, BY SPECIES, 1977

SPECIES	GROWING STOCK	SAWTIMBER
SOFTWOOD:	THOUSAND CUBIC FEET	THOUSAND BOARD FEET
YELLOW PINES EASTERN WHITE PINE SPRUCE AND FIR	68,149	192,830
CYPRESS OTHER EASTERN SOFTWOODS	813 1,538	761 4,724
TOTAL SOFTWOODS	70,500	198,315
HARDWOOD:		
SELECT WHITE AND RED OAKS OTHER WHITE AND RED OAKS HICKORY YELLOW BIRCH	1,591 13,439 802	4,080 36,531 2,842
HARD MAPLE SWEETGUM ASH, WALNUT, AND BLACK CHERRY YELLOW-POPLAR TUPELO AND BLACKGUM BAY AND MAGNOL IA	6,690 2,855 1,778 2,526	20,287 5,193 4,231 8,665
OTHER EASTERN HARDWOODS TOTAL HARDWOODS	11,350	32,653
ALL SPECIES	41,162	114,482 312,797

TABLE 20, -- VOLUME OF ALL LIVE TREES AND GROWING STOCK ON CONVERCIAL FOREST LAND BY OWNERSHIP CLASS AND SPECIES GROUP. 1978

	0, 722 2,72	AL			70772	, , , , , , , , , , , , , , , , , , , ,		OWING STOCK		
OWNERSHIP CLASS	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
NATIONAL FOREST OTHER PUBLIC FOREST INDUSTRY FARMER MISCELLANEOUS PRIVATE	1,254,580 828,758 3,286,230 6,713,637 7,267,965	713,472 468,239 1,355,464 2,792,004 3,236,152	64,095 13,517 171,822 142,175 216,378	274,107 178,143 1,131,975 2,040,956 1,995,601	7HOUSAND 2 202,906 168,859 626,969 1,738,502 1,819,834	762,154 2,888,867	702,982 462,100 1,312,442 2,716,824 3,159,444	62,997 13,117 158,165 134,454 204,591	232,726 150,815 908,909 1,658,155 1,618,772	163,805 136,122 509,351 1,414,365 1,460,239
ALL OWNERSHIPS	19,351,170	8,565,331	607,987	5,620,782	4,557,070	17,180,375	8,353,792	573,324	4,569,377	3,683,882

TABLE 21. -- VOLUME OF SAWTIMBER ON COMMERCIAL FOREST LAND. BY OWNERSHIP CLASS AND SPECIES GROUP, 1978

		SMA	LL SAWTIMBE	R			LAF	RGE SAWTIMBI	R2	
OWNERSHIP CLASS	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
					THOUSAND L	BOARD FEET -				- -
NATIONAL FOREST	1,986,279	1,524,793	81,255	241,933	138,298		1,626,275	194,231	478,451	340,266
OTHER PUBLIC	1,429,559	1,131,128	17,894	165,490	115,047		638,052	26,308	232,738	286,765
FOREST INDUSTRY	4,228,824	2,683,072	247,997	834,614	463,141	5,128,739	1,243,924	411,860	2,207,535	1,265,420
FARMER Miscellaneous Private	9,160,471 10,220,180	5,637,661 6,708,136	196,038 281,392	1,887,166 1,779,278	1,439,606 1,451,374	9,419,421 10,171,500	3,980,835 3,899,352	269,784 518,829	2,811,148 2,973,893	2,357,654 2,779,426
ALL OWNERSHIPS	27,025,313	17,684,790	824,576	4,908,481	3,607,466	28,542,746	11,388,438	1,421,012	8,703,765	7,029,531

^{&#}x27;VOLUME OF SAWTIMBER TREES LESS THAN 15.0 INCHES AT D.B.H.
'VOLUME OF SAWTIMBER TREES 15.0 INCHES AND LARGER AT D.B.H.

TABLE 22. -- NET ANNUAL GROWTH AND REMOVALS OF GROWING STOCK ON COMMERCIAL FOREST LAND, BY OWNERSHIP CLASS AND SPECIES GROUP, 1977

		NET	ANNUAL GRO	WTH			ANNUAL	TIMBER REM	OVALS	
OWNERSHIP CLASS	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
					- THOUSAND	CUBIC FEET -				
NATIONAL FOREST OTHER PUBLIC	52,880 42,721	35,349 29,500	1,918 334	8,837 6,715	6,776 6,172 20,397	30,738 19,831	28,857 14,924 89,779	349 2,874	291 1,549 17,229	1,590 3,009 13,250 22,136 31,195
FOREST INDUSTRY FARMER MISCELLANEOUS PRIVATE	172,757 332,014 362,973	117,898 189,916 227,178	4,096 4,810 6,750	30,366 70,661 64,525	20,397 66,627 64,520	123,132 151,441 170,813	104,861 115,454	1,431 2,001	23,013 22,163	22,136 31,195
ALL OWNERSHIPS	963,345	599,841	17,908	181,104	164,492	495,955	353,875	6,655	64,245	71,180

TABLE 23. -- NET ANNUAL GROWTH AND REMOVALS OF SAWTIMBER ON COMMERCIAL FOREST LAND, BY OWNERSHIP CLASS AND SPECIES GROUP, 1977

		NET	ANNUAL GRO	WTH			ANNUAL	TIMBER REM	IOVALS	
OWNERSHIP CLASS	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD	ALL SPECIES	PINE	OTHER SOFTWOOD	SOFT HARDWOOD	HARD HARDWOOD
					- THOUSAND	BOARD FEET -				
NATIONAL FOREST OTHER PUBLIC FOREST INDUSTRY FARMER MISCELLANEOUS PRIVATE	233,147 170,748 592,765 1,208,029 1,324,534	168,005 124,997 372,590 722,737 849,477	8,882 1,193 18,109 16,826 24,673	30,440 24,165 117,261 245,866 229,680	25,820 20,393 84,805 222,600 220,704	118,107 66,197 470,305 569,718 618,018	114,318 50,596 345,434 404,079 416,537	1,657 14,266 4,964 8,643	4,618 61,128 82,599 82,072	3,789 9,326 49,477 78,076 110,766
ALL OWNERSHIPS	3,529,223	2,237,806	69,683	647,412	574,322	1,842,345	1,330,964	29,530	230,417	251,434

TABLE 24AVERAGE NET VOLUME	- 1	LERSHIP C	PER ACRE OF SAWINDER, GROWING STOCK, AND UTTER LIVE, OWNERSHIP CLASS, MAJOR FOREST TYPE, AND SPECIES GROUP,	JOR FORE	ST TYPE,	AND SPL	CLES GRU	20	3 010 2			
FOREST TYPE, SPECIES GROUP, AND	ALE OWNE	OWNERSHIPS	NATIONAL	FORFST	OTHER P	UBLIC	FOREST 1	NDUSTRY	FARMER	ER	MISC. P	PRIVATE
CLASS OF MAIERIAL	BOARD	CUBIC	BOARD	3/8/	01	21812	0,	CUBIC FEET	BOARD	CUB/C FEET	BOARD	CUBIC FEET
GROWING STOCK: SOFTWOOD	4,034	1,216	7,449	1,690	100	1,192	2,820	991 79	4,042	1,204	4,066 195	1,275
HAKUWUUU TOTAL	4,246	1,331	7,825	1,851	4,523	1,281	2,975	1,070	4,291	1,337	4,261	1,392
OTHER TIMBER: SOFIWOOD HARDWOOD	i 1 i i	ოო გა	1 1	27 52	1 1	16 33	1	35 26 3	† † †	ស ស ស ស		322
TOTAL		67	1	79	1	49		61	 	74		67
OAK-PINE TYPES: GROWING STOCK: SOFTWOOD HARDWOOD	2,409 1,162	602 487	4,676 1,930	938 754	2,834	621 290	1,616	434 330	,54	642 535	1	572
TOTAL	3,571	1,089	909,9	1,692	3,535	911	2,241	764	3,849	1,177	3,361	1,046
OTHER TIMBER: SOFTWOOD HARDWOOD	. 1 1	13		8 161		71		9 61			1	119
TOTAL	1	134	-	169		. 82		70	- 1	156	1	133
UPLAND HARDWOOD TYPES: GROWING STOCK: SOFTWOOD HARDWOOD	538	139 946	1,670	343 1,513	717	175 939	456 2,256	116 741	498 2,568	131 968	50,	നന
٥	3,165	1,085	6,175	1,856	3,658	1,114	2,712	857	3,066	1,099	3, 123	1,073
SOFTWOOD HARDWOOD		188		271		226		144	1	185	; (192
TOTAL	i i	192	-	271	1	226	1	145	1	191	1	197
BOTTOMLAND HARDWOOD TYPES: GROWING STOCK: SOFTWOOD HARDWOOD	1,326 5,910	298 1,769	3,075	703 1,942	1,523	337 1,822	1,593	359 2,052	899 4,768	208 1,528	– თ	31,82
	7,236	2,067	9,842	2,645	6,686	2,159	9,100	2,411	2,667	1,736	7,510	2,134
OTHER LIMBER: SOFTWOOD HARDWOOD	l t	13		16 340	1 1	6 253	11	26 504	f 1 1 (374	1 1	11
10TAL	1	441	-	356	-	259		530	1	382	1	474
ALL TYPES: GROWING STOCK: SOFTWOOD HARDWOOD	2,50 5 1,939	714	5,715	1,278	.→w	816 493	2,095	671 648	2,250 1,896	636 686	2,453 1,932	723 662
TOTAL	4,444	1,374	-	1,939	4,491	1,309	4,273	1,319	4,146	1,322	4,385	1,385
OTHER TIMBER: SOFIWOOD HARDWOOD	1 1	20		19 134		111		26 156	: 1	18 158	!!	158
TOTAL	1	174	1	153	!	114		182		176		177
ALL TIMBER	4,444	1,548	7,715	2,092	4,491	1,423	4,273	1,501	4,146	1,498	4,385	1,562

TABLE 25. -- LAND AREA, BY CLASS, MAJOR FOREST TYPE, AND SURVEY COMPLETION DATE, 1958, 1968, AND 1978

LAND USE CLASS	SURVEY	COMPLETION	DATE	CHANGE	
	1958	1968	1978	1968-1978	
FOREST LAND:		ACI	9ES		
COMMERCIAL FOREST LAND: PINE AND OAK-PINE TYPES HARDWOOD TYPES	6,683,600 5,251,300	7,303,720 5,122,864	7,289,464 5,213,442	- 14,256 + 90,578	
TOTAL	11,934,900	12,426,584	12,502,906	+ 76,322	
NONCOMMERCIAL FOREST LAND: PRODUCTIVE-RESERVED UNPRODUCTIVE	73,900 7,000	70,500 12,655	72,399 3,893	+ 1,899 - 8,762	
TOTAL	80,900	83,155	76,292	- 6,863	
NONFOREST LAND: CROPLAND PASTURE AND RANGE OTHER	5,259,000 743,500 1,203,700	4,032,137 1,029,342 1,616,980	3,606,957 1,006,997 1,926,247	-425,180 - 22,345 +309,267	
TOTAL	7,206,200	6,678,459	6,540,201	-138,258	
ALL LAND!	19,222,000	19,188,198	19,119,399	- 68,799	

^{&#}x27;EXCLUDES ALL WATER AREAS.

0 N	A 2318AT 3W	СЕЗ ІИ АОГЛІ	OB DIEFEREN	TO ALLOW F	30AM N338 3	VAH SIMEMIS	ISONS, ADJU	ALID COMPAR D IN PREVIO	BASIS FOR V	VIDE A SPECIF	7 10 PRO 1 / SER 1 S
1,204,645 895,820 776,180	265,048 418,925 368,048	533,915 622,371 76,475	128,227 807,708 818,880,1	933,710,1 1,017,252 1,270,863	244,040,1 1,049,442 1,156,999	1,024,962 1,161,982 1,420,941	436,931,1 601,931,1 743,716,1	#6#'#91'I 941'646 841'418	36,841,7 313,681,8 328,771,01	8761 8961 8961	GOOWGRAH
250,215 333,657 437,657	184,241 255,223 318,420	366,738 364,004 768,038	408,817 518,647 518,647	902,635 902,983 1,224,052	\$61,868 647,901,1 941,818,1	498,210,1 1,012,894 1,65,186,1	913,948,1 913,984	112,787 088,480 112,787	876,458,8 816,859,8 816,871,9	8261 8961 8561	SOFTWOOD
			/	1331 21802	ONVSNOHI NI	1 838N11 3A	17 7/8		· · · · · · · · · · · · · · · · · · ·		
824,058 828,727 456,979	332,429 365,655 472,429	952,778 634,856 877,934	642,691 718,547 678,029	286,808 482,778 480,1	190,278 961,513 1,214,360	1132'003 878'283 1132'003	292,288 817,748 788,289	782,783 907,843 985,387	209,787,2 706,818,8 706,818,8	8261 8961 8961	нькриоор
240,608 320,740 421,341	182,205 252,205 314,874	828,773 898,903 828,828	018'368 817'879 818'818	178,112,1 878,868 467,868	897,088 897,190,1 897,194,1	986,886 1,460,546 1,460 1,460 1,460 1,460	199,880,1 198,880,1 820,184,1	906,171 906,580 171,171	5,399,243 6,3821,827 8,927,116	8261 8961 8561	SOFTWOOD
803 070	201 001			(1331 21803		11 1 X2015 9N	111089				
986,887,8 4,259,667 4,259,667	1,923,838 1,923,838 2,484,670	2,320,395 2,704,859 3,344,874	2,259,744 3,259,744 4,174,756	3,235,270 3,529,884 4,418,146	2,940,992 3,542,024 108,790,4	 		 	246,858,81 810,026,81 845,845,45	8261 8961 8961	GOOWG9AH
101,036,1 2,078,797 2,0730,326	1,536,213	1,904,763 213,826,2 3,259,243	2,822,328 3,533,950 4,902,484	3,358,254 4,507,002 4,507,002	3,925,759 4,865,673 807,248,6	3,532,893 4,094,647 5,756,656	 	 	8,214,376 083,649,22 018,816,16	8261 8961 8961	SOFTWOOD
				(1333 08)		NII HJ8NII			,		
SI O AND	-0.91 -0.91	-0.71 -0.81	6.31 -0.81	-0.51	15.9	6.01 -0.8	-0.7 9.8	6 9 -0 9	CLASSES ALL	YEAR	GROUP SPECIES
		(1H5	BREAST HEIL	(INCHES AT	RETER CLASS	1 V U			L	L	

TABLE 26. -- VOLUME OF SAWTIMBER, GROWING STOCK, AND ALL LIVE TIMBER ON COMMERCIAL FOREST LAND, BY SPECIES GROUP, DIAMETER CLASS,

Sheffield, Raymond M.

 Forest statistics for South Carolina, 1978. U.S. Dep. Agric. For. Serv., Resour. Bull. SE-50, 34 p. Southeast. For. Exp. Stn., Asheville, N.C.

Since the fourth inventory of South Carolina's forest resources in 1968, the area of commercial forest land has increased by only 76,000 acres, or less than I percent. Commercial forest land now occupies 12.5 million acres, or 65 percent of the total land area in South Carolina. Acreage of forest land held by miscellaneous private, corporate owners has increased by over 285 percent. but private individuals still own 63 percent of the commercial forests. The volume of softwood and hardwood growing stock increased by 33 and 25 percent, respectively. Loblolly pine accounted for 73 percent of the softwood increase and now makes up 60 percent of the softwood inventory. Net annual growth of growing stock averaged 77 cubic feet per acre, a record high for an entire State in the Southeast. Annual timber removals averaged about one-half the net growth.

KEYWORDS: Forest trends, commercial forest land, forest ownership, timber volume, timber growth, timber removals.

Sheffield, Raymond M. 1979. Forest statistics for South Carolina, 1978. U.S. Dep. Agric. For. Serv., Resour. Bull. SE-50, 34 p. Southeast. For. Exp. Sin., Asheville, N.C.

Since the fourth inventory of South Carolina's forest resources in 1968, the area of commercial forest land has increased by only 76,000 acres, or less than 1 percent. Commercial forest land has increased by only 76,000 acres, or less than 1 percent. Commercial forest land now occupies 12.5 million acres, or 65 percent of the total land area in South Carolina. Acreage of forest land held by miscellaneous private, corporate owners has increased by over 285 percent, but private individuals still own 63 percent of the commercial forests. The volume of softwood and hardwood growing stock increased by 33 and 25 percent, respectively. Loblolly pine accounted for 73 percent of the softwood increase and now makes up 60 percent of the softwood inventory. Net annual growth of growing stock averaged 77 cubic feet per acre, a record high for an entire State in the Southeast. Annual timber removals averaged about one-half the net growth.

KEYWORDS: Forest trends, commercial forest land, forest ownership, timber volume, timber growth, timber removals.



The Forest Service, U.S. Department of Agriculture, is dedicated to the principle of multiple management of the Nation's forest resources for sustained yields of wood, water, forage, wildlife, and recreation. Through forestry research, cooperation with the States and private forest owners, and management of the National Forest and Grasslands, it strives - as directed by Congress - to provide increasingly greater service to a growing Nation.

USDA policy does not permit discrimination because of race, color, national origin, sex or religion. Any person who believes he or she has been discriminated against in any USDA-related activity should write immediately to the Secretary of Agriculture, Washington, D.C. 20250.